

## Consumer Information Sheet for SavATree

### NEW YORK

\*575 Bedford Road, Bedford Hills, NY 10507, (914) 244-1700, Business ID #: 01008  
Certified Applicator: Doug Erickson, Certified Applicator ID#: C3-811963  
Certified Applicator: Denis Trainor, Certified Applicator ID#: C3875174

\*1 Greentown Road, Buchanan, NY 10511, (914) 402-4521, Business ID #: 14490  
Certified Applicator: Brendan Sullivan, Certified Applicator ID #: C3-821471  
Certified Applicator: Paul Eng, Certified Applicator ID #: C3889113

\*531 Fayette Avenue, Mamaroneck, NY 10543, (914) 777-1399, Business ID #: 10313  
Certified Applicator: Adam Severson, Certified Applicator ID #: C0-909177  
Certified Applicator: Matt Diaz, Certified Applicator ID #: CO838494

\*60 Lawlins Park, PO Box 370, Wyckoff, NJ 07481, (201) 891-5379, Business ID #: 11213  
Certified Applicator: John Crittenden, Certified Applicator ID #: C3889226

\*185 New Hackensack Road, Wappingers Falls, NY 12590, (845)297-4247  
Business ID #: 17580  
Certified Applicator: Mikki Patane, Technician ID#: T3912787  
Certified Applicator: Tom Tompkins, Certified Applicator ID#: C3-835308  
*\*In case of emergency: Hudson Valley Poison Control Center, (800) 222-1222*

\*\*55 Sea Cliff Ave, Glen Cove, NY 11542, (516) 656-0980, Business ID #: 11538  
Certified Applicator: Timothy Hausch, Certified Applicator ID#: C1-891216  
Certified Applicator: John Wolffer, Certified Applicator ID #: C1-831127

\*\*1579 County Road 39, Southampton, NY 11968, (631) 283-1155, Business ID #: 10312  
Certified Applicator: Keith Schumpf, Certified Applicator ID #: C1-831179  
Certified Applicator: Herb Graf, Certified Applicator ID #: C1839339

\*\*58 Old Country Road, Quogue, NY 11959, (631) 283- 1155, Business ID #: 19126  
Certified Applicator: Paul Wagner, Certified Applicator ID #: C1674692

*\*\*In case of emergency: Long Island Regional Poison Control Center, (800) 222-1222*

### NEW JERSEY

+27 Stonehouse Road, Basking Ridge, NJ 07920, (908) 766-3037, Business ID #: 98635A  
Certified Applicator: Jonathan Hill, Certified Applicator ID #: 62678B

+300 Basin Road, Hamilton, NJ 08619, (609) 587-1411, Business ID #: 97079A  
Certified Applicator: Jeremy Scannell, Certified Applicator ID #: 56777B

+1131 Route 22 East, Mountainside, NJ 07092, (908) 301-9400, Business ID #: 90416A  
Certified Applicator: Kathy Skulitz, Certified Applicator ID #: 60766B

+401 Paulding Ave, Northvale, NJ 07647, (201) 768-0694, Business ID #: 93439A  
Certified Applicator: Sharvya Peddigari, Certified Applicator ID #: 65807B

+1248 Sussex Turnpike B-4, Randolph, NJ 07869 (973) 895-8930, Business ID #: 90958A  
Certified Applicator: Joe Russo, Certified Applicator ID #: 91297B

+ 1008 Route 33, Unit #8, Freehold, NJ 07728 (732) 924-3655, Business ID #: 92217B  
Certified Applicator: Mark Bratzler Certified Applicator ID #: 56968B

+60 Lawlins Park, PO Box 370, Wyckoff, NJ 07481, (201) 891-5379, Business ID #: 94237A  
Certified Applicator: John Crittenden, Certified Applicator ID #: 55769B

*+In case of emergency: New Jersey Poison Information and Education System, (800) 222-1222  
For general information: National Pesticide Information Center, (800) 858-7378  
Pesticide Control Program (609) 984-6507. This number is for pesticide regulation information  
and pesticide complaints.*

Sanitation, as well as physical and biological control measures should be considered as part of a good pest control program. Pesticides may be used as another part of a good pest control program. Pesticides are substances used to control living organisms and vary in degree of toxicity.

*-Posting signs shall be removed by the client 72 hours following applications.*

## CONNECTICUT

++34 Smith Street, Norwalk, CT 06851, (203) 853-9526, Business ID #: B-0183  
Certified Applicator: Hugo Cardenas, Certified Applicator ID # S6818

++21A Still River Road, New Milford, CT 06811, (203) 794-0922, Business ID #: B-1792  
Certified Applicator: Jonathan Borysiewicz, Certified Applicator ID # S-5392

++4 Center Road, Old Saybrook, CT 06475, (860) 395-0780, Business ID #: B-1804  
Certified Applicator: Andrew Harazim, Certified Applicator ID #: PMCS.0065664

++12 Northwood Drive, Bloomfield, CT 06002, (860) 688-9300, Business ID #: B-2366  
Certified Applicator: Mike Schoeni, Certified Applicator ID #: S3451

++62 Spring Hill Road, Trumbull, CT 06611 (203) 261-4370, Business ID #: PMBR:05391  
Certified Applicator: Shawn Jacques, Certified Applicator ID#: S-4038

++*In case of emergency: University of Connecticut Health Center, (800) 222-1222*

CT law has created a registry that allows abutting property owners to be notified prior to a landscape application. To be placed on this registry, they should contact the Department of Environmental Protection at (860) 424-3369 to receive an application.

## **MARYLAND**

14628 Southlawn Ln, Rockville, MD 20850, (301) 545-1712, MDA #: 28371  
Certified Applicator: Vince Hipp, Certified Applicator ID#: 84870

*In case of emergency: Maryland Poison Center, (800) 222-1222*

Note: Additional consumer information for Maryland residents is located in the back of this booklet.

## **WASHINGTON, D.C.**

14628 Southlawn Ln, Rockville, MD, 20850, (301) 545-1712, Business ID #: 10074  
Certified Applicator: Vince Hipp, Certified Applicator ID#: 25869

*In case of emergency: National Capital Poison Center, (800) 222-1222*

District of Columbia law requires that you be given the following information: Notice of Pesticide Application: CAUTION – PESTICIDES MAY CONTAIN TOXIC CHEMICALS. Companies that apply pesticides are licensed and regulated by the District Department of the Environment (DDOE), The United States Environmental Protection Agency and DDOE approve pesticides for use. At your request, the company conducting your pest control will provide you with either or both of the Safety Data Sheet(s) or the pesticide label(s), both of which provide further information about the approved uses of and recommended precautions for the pesticide being applied on your property. Neither of these documents is guaranteed to list every danger associated with a pesticide. DDOE maintains a list of pesticides that present a reduced risk to humans and the environment and encourages the use of such pesticides whenever possible. The pesticide company has not chosen to apply reduced-risk pesticide(s). The District of Columbia government encourages the use of non-chemical and reduced-risk

methods of pest control by residents and commercial pest control companies. Even when using reduced-risk pesticides, residents should familiarize themselves with safety information for pesticide products and should avoid exposure to pesticides.

### Product Listing

Product	Code	Active Ingredient	Method Applied	Post Application Precaution*
Pure Spray 10E	A	Mineral Oil	Hydraulic	None
Pyronyl Crop Spray	B	Pyrethrins, piperonyl butoxide	Hydraulic	None
AzaGuard	C	Azadirachtin	Hydraulic	None
Acelepryn	D	Chlorantraniliprole	Injection	None
Reliant	E	Mono & di-potassium salts of phosphorous acid	Hydraulic	None
Cambistat	F	Paclbutrazol	Drench	None
Merit 2F	G	Imidacloprid	Injection	None
Coretect+	H	Imidacloprid	Hand	None
Protect DF	I	Manganese, zinc, ethylene-bisdithiocarbamate	Hydraulic	None
Talstar P	J	Bifenthrin	Hydraulic	None
Strider/ Propizol	K	Propiconazole	Hydraulic	None
Myclotect	L	Myclobutanil	Hydraulic	None
TriStar	M	Acetamiprid	Hydraulic	None
DeerPro Winter	N	Thiram	Hydraulic	None
CedarCure	O	Cedar Oil	Hydraulic	None
Mectinite	P	Emamectin Benzoate	Injection	None
Astro	Q	Permethrin	Hydraulic	None
Deer Pro Spring/Summer	R	Putrescent Whole Egg Solids, Capsaicin	Hydraulic	None
Orthene	S	Acephate	Injection	None
Thermacell Tick Tubes	T	Permethrin	Hand	None
Arbotect	U	Thiabendazole	Injection	None
Hot Sauce Animal Repellent	V	Capsaicin	Hydraulic	None
Tempo SC Ultra	W	Beta-Cyfluthrin	Hydraulic	None

Tree-age R10	X	Emamectin Benzonate	Injection	None
Shuttle O	Y	Acequinocyl	Hydraulic	None
Forbid	Z	Spiromesifen	Hydraulic	None
Deer Stopper	AA	Putrescent Egg Solids, Rosemary, Peppermint	Hydraulic	None
Compass	BB	Trifloxystrobin	Hydraulic	None
Conserve	CC	Spinosad	Hydraulic	None
Bifenamite	DD	Bifenazate	Hydraulic	None
Talstar PL Granular	EE	Bifenthrin	Spreader	None
Endeavor	FF	Pymetrozine	Hydraulic	None
Garlic Gard	GG	Garlic Juice	Hydraulic	None
Transtect	HH	Dinotefuran	Drench	None
Advance Granular	II	Abamectin	Hand	None
Maxforce Fleet	JJ	Fipronil	Hand	None
Demand CS	KK	Lambda-cyhalothrin	Hydraulic	None
Proxite	LL	Pyriproxifen	Hydraulic	None
T-Methyl	MM	Thiophanate-methyl	Hydraulic	None
Pristine	NN	Pyraclostrobin , Boscalid	Hydraulic	None
Captan	OO+	Captan	Hydraulic	None
Deer Free Winter Armor	PP	White Pepper, 2-Phenethyl propionate	Hydraulic	None
Broadform	QQ	Trifloxystrobin, Fluopy ram	Hydraulic	None
Xylect 10%	RR	Imidacloprid	Injection	None
Triadimefon	SS	Triadimefon	Hydraulic	None
Daconil	TT	Chlorothalonil	Hydraulic	None
Azasol	UU	Azadirachtin	Injection	None
Avian Control	VV	Methyl Anthranilate	Hydraulic	None
Deer Free Summer Armor	WW	Lauryl Sulfate, 2 Phenethyl Propionate, White Pepper	Hydraulic	None
Subdue GR	XX	Mefanoxam	Spreader	None
Tourney EZ	YY	Metconazole	Hydraulic	None
Bobbex Winter Formula	ZZ	Putrescent whole egg, Castor oil, Garlic oil	Hydraulic	None
Arbor OTC	AAA	Oxytetracycline	Injection	None
Regalia PTO	BBB	Extract of Reynoutria, Sachalinensis	Hydraulic	None
Cueva	CCC	Copper Octoanoate	Hydraulic	None
Bobbex - Pro	DDD			

		Putrescent Whole	Hydraulic	None
Sluggo	EEE	Egg, Castor Oil,	Hand	None
Aracinate	FFF	Garlic Oil	Injection	None
Lucid	GGG	Iron Phosphate	Hydraulic	None
Abamectin.15 Select	HHH	Abamectin	Hydraulic	None
Altus	III	Abamectin	Hydraulic	None
Abacide 2	TIAB	Abamectin	Injection	None
Abasol	TIAL	Flupyradifurone	Injection	None
		Abamectin		
Arborfos	TIAF	Abamectin, Debacarb and Carbendazim	Injection	None
		Mono- and Di-		
Dinocide	TID	potassium salts of	Injection	None
Fungisol	TIF	Phosphorous Acid	Injection	None
		Dinotefuran		
Imicide	TIIM	Debacarb and	Injection	None
Imisol	TIMS	Carbendazim	Injection	None
		Imidacloprid		
		Debacarb,		
Mycoject Ultra	TIM	Carbendazim,	Injection	None
		Imidacloprid		
Tebuject 16	TIT	Oxytetracycline	Injection	None
		Hydrochloride		
		Tebuconazole		

\*Once product has dried (15-20 Minutes) +Only on Long Island, NY

For more information, see abridged product labels.

A complete copy of the label for the products used is available upon request or online at:[www.savatree.com/ds/index.html](http://www.savatree.com/ds/index.html)

### Specific Product Information for New Jersey, Connecticut, and Maryland

Treatment	Codes	Treatment	Codes
Sycamore	U	Disease	I,K
Anthracnose		Treatment-	
Treatment		Deciduous	
Aphid/Whitefly	FF, III	Disease	I,K
Treatment		Treatment-	
		Evergreen	

Arbor Balance Treatment	F	Disease Treatment-Integrated Disease Treatment Plus	I,K I,K,E
Arbor Patrol	A-E,G,I-M, O, Q-S,W,X, Z,CC, DD,FF,HH, SS,TT,XX,YY, HHH, III	Dutch Elm Treatment Emerald Ash Borer-Soil Injection ( Not Offered in NJ) Emerald Ash Borer Trunk Injection Fruit Treatment - Antibacterial Fruit Treatment - Dormant Fruit Treatment - Disease – 1-3 Fruit Treatment - Summer 1 Fruit Treatment – Summer – 2,3,5,6 Fruit Treatment - Summer – 4,7,8 Fruit Treatment – Late Season	U G P, X E A L,QQ Q NN, B,QQ L, B,QQ CCC
Bagworm	CC	Goose	VV
Bark Disease Treatment	E	Repellent Hemlock Bark ( Not Offered in NJ)	HH
Borer Treatment	Q	Hemlock Woolly Adelgid	A
Bee Friendly Systemic Soil	D		

Bee Friendly Systemic Bark ( Not Offered in NJ)	M		
Beech Leaf Disease	QQ		
Beech Leaf Disease Injection	U		
Boxwood Blight Treatment	TT,YY,MM		
Carpenter Ant Treatment	II,JJ	Japanese Beetle	Q
Caterpillar Alert	CC		
Tick Habitat	T	Leafminer	HH (GGG, HHH in NJ Only)
Deer Repellent – Early Spring, Spring, Late Spring, Early Summer,		Mosquito/ Surface Insect	GG
		Mosquito	KK
		Mosquito & Tick	KK
		Mosquito & Tick –Organic	GG, O
Summer, Late Summer, Early Fall	S, AA, WW, DDD, R	Mosquito Organic	GG
Deer Repellent – Fall, Late Fall, Early Winter, Winter, Late Winter	PP, ZZ	Spotted Lanternfly	J
		Systemic Scale( Not Offered in NJ)	HH
		Systemic Bark ( Not Offered in NJ)	HH
DeerTech Winter Protection	N	Systemic Soil Treatment	G (S in NJ Only)
DeerTech Service - February - September	S,V,AA, WW, DDD, R	Tick Treatments	W
DeerTech Service – October - January	N, PP, S, V, AA, ZZ	Tree Injection Treatment	TIAB,TIAL,TIAF, TIF,TIIM,TIMS, TIMY,TIT

Disease Treatment- Anti-Bacterial	E	Tree Injection Treatment – Disease	K, AAA
Organic PHC Treatment-1	A	Tree Injection Treatment – Insect (Biennial Protection)	P, X HHH, RR,FFF
Organic PHC Treatment 2-6	C	Tree Injection Insect (Organic)	UU
Organic Tick	O	Turpentine Beetle	Q
Pine Sawfly	CC		
Organic Fruit-Dormant	A		
Organic Fruit Antibacterial	E		
Organic Fruit Disease 1-3	BBB		
Organic Fruit Summer 1, 3, 5	CC, BBB		
Organic Fruit Summer 2,4,6,7	C, BBB		
Organic Fruit Late	CCC		
R1-Horticultural Oil Treatment	A,W		
R2-Spring Foliar Treatment	W		
R3-2nd Spring Foliar Treatment	W, A		
R4-Summer Foliar Treatment	A,W		
R5- 2nd Summer Foliar Treatment	A,W		
R6- Fall Foliar Treatment	A,W		
Root Disease Treatment	XX		
Root Weevil	J		

- The ingredients listed may be used separately or in combination, depending upon weather, season, or severity of the pest problem.

Scale Treatments A, LL  
 Spider Mite –  
 Early and Mid- DD  
 Late  
 Spider Mite –  
 Mid -Early and Z  
 Late

-In the event that we select an ingredient other than indicated above, we will notify you.

**Approximate Primary & Alternate Treatment Dates and Specific Product Information for New York State**

<b>Treatment</b>	<b>Dates</b>	<b>Codes</b>
Sycamore Anthracnose Treatment	7/1,7/21	U
Aphid/Whitefly Treatment	5/15,6/7	FF, III
Arbor Balance Treatment	6/15,7/7	F
Arbor Patrol 1 of 5	3/15,4/7	A-E,G-M,Q-S,W-Y, BB-DD,FF,HH,LL,III
2 of 5	5/1,5/21	A-E,G-M,Q-S,W-Y, BB-DD,FF,HH,LL,III
3 of 5	6/1,6/21	A-E,G-M,Q-S,W-Y, BB-DD,FF,HH,LL,III
4 of 5	7/1,7/21	A-E,G-M,Q-S,W-Y, BB-DD,FF,HH,LL,III
5 of 5	8/1,8/21	A-E,G-M,Q-S,W-Y, BB-DD,FF,HH,LL,III
Arbor Patrol 1	3/15,4/7	A-E,G-M,Q-S,W-Y, BB-DD,FF,HH,LL,III
Arbor Patrol 2	4/15,5/7	A-E,G-M,Q-S,W-Y, BB-DD,FF,HH,LL,III
Arbor Patrol 3	5/1,5/21	A-E,G-M,Q-S,W-Y, BB-DD,FF,HH,LL,III
Arbor Patrol 4	5/15,6/7	A-E,G-M,Q-S,W-Y, BB-DD,FF,HH,LL,III
Arbor Patrol 5	6/1,6/21	A-E,G-M,Q-S,W-Y, BB-DD,FF,HH,LL,III
Arbor Patrol 6	7/1,7/21	A-E,G-M,Q-S,W-Y, BB-DD,FF,HH,LL,III
Arbor Patrol 7	8/1,8/21	A-E,G-M,Q-S,W-Y, BB-DD,FF,HH,LL,III
Arbor Patrol 8	9/1,9/21	A-E,G-M,Q-S,W-Y, BB-DD,FF,HH,LL,III

Arbor Patrol 9	10/1,10/21	A-E,G-M,Q-S,W-Y, BB-DD,FF,HH,LL,III
Bagworm	6/1,6/21	CC
Bagworm 2	6/15,7/7	CC
Bark Disease Treatment, Early	5/15,6/7	E
Bark Disease Treatment, Mid	7/1,7/21	E
Bark Disease Treatment, Late	8/15,9/7	E
Bee Friendly Systemic Bark	5/01,5/21	M
Bee Friendly Systemic Soil - Early	4/1,4/21 9/1,9/21	D D
Bee Friendly Systemic Soil –Late	5/01,5/21	QQ
Beech Leaf Disease	7/15, 8/7	QQ
Beech Leaf Disease-1	8/1, 8/21	QQ
Beech Leaf Disease-2		
Beech Leaf Disease Injection	6/1, 6/21	U
Borer Treatment –Early	4/15,5/7	Q
Borer Treatment –Mid	6/15,7/7	Q
Borer Treatment –Mid Early	5/21, 6/11	Q
Borer Treatment –Mid Late	7/14, 8/4	Q
Borer Treatment –Late	8/15,9/7	Q
Boxwood Blight Treatment Spring 1	4/1,4/21	BB
Boxwood Blight Treatment Spring 2	4/20,5/11	BB
Boxwood Blight Treatment Spring 3	5/10,6/1	BB
Boxwood Blight Treatment Spring 4	5/18, 6/8	BB
Boxwood Blight Treatment Spring 5	6/1, 6/22	BB
Boxwood Blight Treatment Summer 1	6/15, 7/6	BB
Boxwood Blight Treatment Summer 2	6/29, 7/20	BB
Boxwood Blight Treatment Summer 3	7/13,8/3	BB
Boxwood Blight Treatment Summer 4	7/27,8/17	BB
Boxwood Blight Treatment Summer 5	8/10, 8/31	BB
Boxwood Blight Treatment Fall 1	8/24,9/14	BB
Boxwood Blight Treatment Fall 2	9/7, 9/28	BB
Boxwood Blight Treatment Fall 3	9/21, 10/12	BB
Boxwood Blight Treatment Fall 4	10/5, 10/26	BB

Boxwood Blight Treatment Fall 5	10/19, 11/9	BB
Caterpillar Alert	4/15,5/7	CC
Caterpillar Alert 2	5/15,6/7	CC
Carpenter Ant Treatment	6/1,6/21	II, JJ
Carpenter Ant Treatment 2	7/13, 8/3	II, JJ
Tick Habitat	4/15,5/7	T
Tick Habitat 2	7/1,7/21	T
Deer Repellent - Early Fall	9/1,9/21	PP, XX
Deer Repellent – Fall	10/1,10/21	PP, XX
Deer Repellent – Late Fall	11/1,11/21	PP, XX
Deer Repellent - Early Winter	12/1,12/21	PP, XX
Deer Repellent - Winter	1/1,1/21	PP, XX
Deer Repellent - Late Winter	2/1,2/21	PP, XX
Deer Repellent – Early Spring	3/1,3/21	S, AA, WW, DDD, R
Deer Repellent - Spring	4/1,4/21	S, AA, WW, DDD, R
Deer Repellent - Late Spring	5/1,5/21	S, AA, WW, DDD, R
Deer Repellent – Early Summer	6/1,6/21	S, AA, WW, DDD, R
Deer Repellent - Summer	7/1,7/21	S, AA, WW, DDD, R
Deer Repellent - Late Summer	8/1,8/21	S, AA, WW, DDD, R
DeerTech January Service	1/1, 1/21	N, PP, S, V, AA, XX
DeerTech February Service	2/1,2/21	S,V,AA, WW, DDD, R
DeerTech March Service	3/1, 3/21	S,V,AA, WW, DDD, R
DeerTech April Service	4/1,4/21	S,V,AA, WW, DDD, R
DeerTech May Service	5/1,5/21	S,V,AA, WW, DDD, R
DeerTech June Service	6/1,6/21	S,V,AA, WW, DDD, R
DeerTech July Service	7/1,7/21	S,V,AA, WW, DDD, R
DeerTech August Service	8/1,8/21	S,V,AA, WW, DDD, R
DeerTech September Service	9/1,9/21	S,V,AA, WW, DDD, R
DeerTech October Service	10/1,10/21	N, PP, XX
DeerTech November Service	11/1,11/21	N, PP, XX
DeerTech December Service	12/1,12/21	N, PP, S, V, AA, XX
DeerTech Winter Protection	10/12, 11/2	N
Disease Treatment, Anti-Bacterial	4/15,5/7	E
Disease Treatment, Anti-Bacterial 2	4/21,5/15	E
Disease Treatment, Anti-Bacterial 3	5/1,5/21	E
Disease Treatment, Deciduous, Early	4/7,5/1	BB

**Approximate Primary & Alternate Treatment Dates and  
Specific Product Information for New York State**

---

Treatment	Dates	Codes
-----------	-------	-------

Disease Treatment, Deciduous, Late	4/15,5/7	BB
Disease Treatment, Deciduous, 2	5/1,5/21	BB
Disease Treatment, Deciduous, 3	5/15,6/7	BB
Disease Treatment, Deciduous, 4	6/1,6/21	BB
Disease Treatment, Deciduous, 5	6/15,7/7	BB
Disease Treatment, Deciduous, 6	7/1,7/21	BB
Disease Treatment, Deciduous, 7	7/15,8/7	BB
Disease Treatment Evergreen	4/15,5/7	BB
Disease Treatment Evergreen 2	5/7,6/1	BB
Disease Treatment Evergreen 3	6/1,6/21	BB
Disease Treatment Evergreen 4	6/15,7/7	BB
Disease Treatment Evergreen 5	7/1,7/21	BB
Disease Treatment Evergreen 6	7/15,8/7	BB
Disease Treatment Evergreen 7	8/1,8/21	BB
Disease Treatment Integrated	4/15,5/7	BB
Disease Treatment Integrated 2	5/7,6/1	BB
Disease Treatment, Integrated 3	6/1,6/21	BB
Disease Treatment, Integrated 4	6/21,7/15	BB
Disease Treatment, Integrated 5	7/15,8/7	BB
Disease Treatment, Integrated 6	8/7,9/1	BB
Disease Treatment, Integrated 7	9/1,9/21	BB
Disease Treatment Plus	4/15, 5/7	BB,E
Disease Treatment Plus 2	5/7, 6/1	BB,E
Disease Treatment Plus 3	6/1, 6/21	BB,E
Disease Treatment Plus 4	6/21, 7/15	BB,E
Disease Treatment Plus 5	7/15, 8/7	BB,E
Disease Treatment Special 1	4/15, 5/7	I,SS,YY
Disease Treatment Special 2	5/1, 5/21	I,SS,YY
Disease Treatment Special 3	6/1, 6/21	I,SS,YY
Disease Treatment Special 4	7/1, 7/21	I,SS,YY
Disease Treatment Special Early	2/1, 2/21	TT
Disease Treatment Special Late	11/1, 11/21	TT
Dutch Elm Disease	6/1,6/21	U
Emerald Ash Borer – Soil Injection	9/1,9/21	G
Emerald Ash Borer Trunk Injection	8/1,8/21	P, X
Fruit Treatment - Antibacterial	3/19, 4/9	E
Fruit Treatment – Late Season	10/1, 10/22	CCC
Fruit Treatment - Dormant	3/15,4/7	A
Fruit Treatment - Disease 1	4/15,5/7	L,QQ
Fruit Treatment - Disease 2	5/1,5/21	L,QQ
Fruit Treatment - Disease 3	5/15,6/7	L,QQ
Fruit Treatment - Summer 1	5/15,6/7	Q
Fruit Treatment - Summer 2	6/1,6/21	B,NN,QQ
Fruit Treatment - Summer 3	6/15,7/7	B,NN,QQ
Fruit Treatment - Summer 4	7/1,7/21	B,L (B,OO-),QQ

Fruit Treatment - Summer 5	7/15,8/7	B,NN,QQ
Fruit Treatment - Summer 6	8/1,8/21	B,NN,QQ
Fruit Treatment - Summer 7	8/15,9/7	B,L (B,OO+),QQ
Fruit Treatment - Summer 8	9/1,9/21	B,L (B,OO+),QQ
Goose Repellent Treatment – Early Spring	3/1, 3/21	VV
Goose Repellent Treatment - Spring	4/1, 4/21	VV
Goose Repellent Treatment – Late Spring	5/1, 5/21	VV
Goose Repellent Treatment – Early Summer	6/1, 6/21	VV
Goose Repellent Treatment - Summer	7/1, 7/21	VV
Goose Repellent Treatment – Late Summer	8/1, 8/21	VV
Goose Repellent Treatment – Early Fall	9/1, 9/21	VV
Goose Repellent Treatment – Fall	10/1, 10/21	VV
Goose Repellent Treatment – Late Fall	11/1, 11/21	VV
Goose Repellent Treatment – Early Winter	12/1, 12/21	VV
Goose Repellent Treatment – Winter	1/1, 1/21	VV
Goose Repellent Treatment – Late Winter	2/1, 2/21	VV
Hemlock Bark-Mid	5/21,6/15	HH
Hemlock Woolly Adelgid – Early	4/1,4/21	A
Hemlock Woolly Adelgid – Mid	6/1,6/21	A
Hemlock Woolly Adelgid – Late	9/1,9/21	A
Japanese Beetle	6/15,7/7	C
Japanese Beetle 2	7/1,7/21	C
Japanese Beetle 3	7/14,7/28	C
Japanese Beetle 4	7/21, 8/14	C

**Approximate Primary & Alternate Treatment Dates and  
Specific Product Information for New York State**

---

<b>Treatment</b>	<b>Dates</b>	<b>Codes</b>
Leafminer	5/1,5/21	M

Leafminer 2	5/15,6/7	M
Mosquito-Spring	3/30,4/20	KK
Mosquito-Late Spring	4/27,5/18	KK
Mosquito- Early Summer	5/25,6/15	KK
Mosquito- Late Summer	7/20,8/10	KK
Mosquito- Fall	9/28,10/19	KK
Mosquito and Tick- Spring	3/30,4/20	KK
Mosquito and Tick- Late Spring	4/27,5/18	KK
Mosquito and Tick- Early Summer	5/25,6/15	KK
Mosquito and Tick- Late Summer	7/20,8/10	KK
Mosquito and Tick- Fall	9/28,10/19	KK
Mosquito- Organic-1	3/19,4/9	GG
Mosquito- Organic-2	4/16,5/7	GG
Mosquito- Organic-3	4/30,5/21	GG
Mosquito- Organic-4	5/28,6/18	GG
Mosquito- Organic-5	6/25,7/16	GG
Mosquito- Organic-6	7/23,8/13	GG
Mosquito- Organic-7	8/20,9/10	GG
Mosquito- Organic-8	9/21,10/12	GG
Mosquito and Tick- Organic-1	3/19,4/9	GG, O
Mosquito and Tick- Organic-2	4/16,5/7	GG, O
Mosquito and Tick- Organic-3	4/30,5/21	GG, O
Mosquito and Tick- Organic-4	5/28,6/18	GG, O

Mosquito and Tick-Organic-5	6/25, 7/16	GG, O
Mosquito and Tick-Organic-6	7/23, 8/13	GG, O
Mosquito and Tick-Organic-7	8/20, 9/10	GG, O
Mosquito/ Surface Insect	4/1,4/21	GG
Mosquito/ Surface Insect 2	4/15,5/7	GG
Mosquito/ Surface Insect 3	5/1,5/21	GG
Mosquito/ Surface Insect 4	5/15,6/7	GG
Mosquito/ Surface Insect 5	6/1,6/21	GG
Mosquito/ Surface Insect 6	6/15,7/7	GG
Mosquito/ Surface Insect 7	7/1,7/21	GG
Mosquito/ Surface Insect 8	7/15 8/7	GG
Mosquito/ Surface Insect 9	8/1,8/21	GG
Mosquito/ Surface Insect 10	8/15,9/7	GG
Mosquito/ Surface Insect 11	9/1,9/21	GG
Mosquito/ Surface Insect 12	9/15,10/7	GG
Mosquito/ Surface Insect 13	10/1,10/21	GG
Mosquito/ Surface Insect 14	10/15,11/7	GG
Mosquito/ Surface Insect 15	11/1,11/21	GG
Organic Fruit-Domant	2/26, 3/19	A
Organic Fruit-Antibacterial	3/19, 4/9	E
Organic Fruit-Disease 1	3/26, 4/14	BBB
Organic Fruit-Disease 2	4/2, 4/23	BBB

Organic Fruit-Disease 3	4/16, 5/7	BBB
Organic Fruit-Summer 1	5/7, 5/28	CC, BBB
Organic Fruit-Summer 2	5/21, 6/11	CC, BBB
Organic Fruit-Summer 3	6/11, 7/2	C, BBB
Organic Fruit-Summer 4	7/2, 7/23	CC, BBB
Organic Fruit-Summer 5	7/23, 8/13	CC, BBB
Organic Fruit-Summer 6	8/13, 9/3	C, BBB
Organic Fruit-Summer -7	9/3, 9/24	C, BBB
Organic Fruit- Late Season	10/1, 10/22	CCC
Organic PHC Treatment 1	3/15,4/7	A
Organic PHC Treatment 2	5/1,5/21	C
Organic PHC Treatment 3	6/1,6/21	C
Organic PHC Treatment 4	7/1,7/21	C
Organic PHC Treatment 5	8/1,8/21	C
Organic PHC Treatment 6	9/1,9/21	C
Organic Tick Early Spring	3/1,3/21	O
Organic Tick Spring	5/1,5/21	O
Organic Tick Early Summer	6/1,6/21	O
Organic Tick Summer	7/1,7/21	O
Organic Tick Late Summer	8/1,8/21	O
Organic Tick Fall	9/1,9/21	O
Organic Tick Late Fall	10/1,10/21	O
R1-Horticultural Oil	3/15,4/7	A, CC
R2-Spring Foliar Treatment	5/1,5/21	M

R3-2nd Spring Foliar Treatment	5/15,6/7	A,M
R4-Summer Foliar Treatment	7/1,7/21	A,CC
R5-2nd Summer Foliar Treatment	8/1,8/21	A,CC
R6 - Fall Foliar Treatment	9/1,9/21	A,M
Root Disease, Early	5/1,5/21	X,XX
Root Disease, Mid	7/1,7/21	X,XX
Root Disease, Late	9/1,9/21	X,XX
Root Weevil – Early	5/14,6/7	C
Root Weevil – Mid	6/14,7/7	C
Scale Treatment – Early Season	4/21,5/14	A,LL
Scale Treatment – Mid Season (Early)	5/21,6/14	A,LL
Scale Treatment – Mid Season (Late)	6/21,7/14	A,LL
Scale Treatment – Late Season	7/21,8/14	A,LL
Scale Treatment - Fall	9/1,9/21	A,LL
Spidermite Early	5/15,6/7	DD
Spidermite Mid-Early	7/1,7/21	Y
Spidermite Mid-Late	8/1,8/21	DD
Spidermite Late	9/1,9/21	Y
Spotted Lantern-Mid Summer	7/21,8/14	J
Spotted Lantern-Late Summer	8/14,9/7	J
Spotted Lantern- Early Fall	9/14,10/7	J
Systemic Soil Treatment, Early	3/15,4/7	G,H+
Systemic Soil Treatment, Mid-Season	6/01,6/21	G
Systemic Soil Treatment, Late	8/15,9/7	G,H+
Tick Granular Early	4/1,4/21	EE
Tick Granular Late	8/1,8/21	EE
Tick - Early Spring	3/1,3/21	W
Tick - Spring	5/1,5/21	W

Tick - Late Spring	6/1,6/21	W
Tick - Summer	7/7,8/1	W
Tick – Fall	8/21,9/15	W
Tree Injection Treatment	5/1, 5/21	TIAB, TIAL,TIAF,TIF,TIIM,TIMS,TIMY,TIT
Tree Injection – Disease Early	3/15, 4/7	AAA
Tree Injection – Disease Mid	6/1, 6/21	AAA
Tree Injection Disease - Late	9/1, 9/21	K
Tree Injection - Insect (Biennial Protection)	8/1, 8/21	P, X
Tree Injection - Insect	6/21, 7/14	RR
Tree Injection - Insect (Organic)	6/1,6/21	UU
Turpentine Beetle Injection	5/1,5/21	P, X
Turpentine Beetle- Early	4/1,4/21	Q
Turpentine Beetle- Mid	5/1,5/21	Q
Turpentine Beetle- Late	6/15,7/7	Q
White Prunicola Scale	5/21,6/14	A,LL
White Prunicola Scale -2	7/14,8/7	A,LL

+Only on Long Island, New York

Each date represents the beginning of a 21 day treatment period. If your treatment is not performed in the first date period indicated, it will be done in the next available period, in the order indicated. The ingredients listed may be used separately or in combination, depending upon weather, season, or severity of the pest problem. In the event that we select an ingredient other than indicated above, we will notify you. Each approximate and alternate date applies to every year that the contract is in effect.

**Specific Product and Target Information for  
Washington, D.C.**

---

<b>Treatment</b>	<b>Product Code(s)</b>	<b>Target Pest(s)</b>
Sycamore Anthracnose Treatment	U	Sycamore Anthracnose
Arbor Balance Treatment	F	Trees
Arbor Patrol	A-E, G, I-M, O, Q-S, W, X, Z, CC, DD, FF, HH, MM, QQ, SS, TT, XX, YY	Various Insects and Diseases (See Arbor Patrol Diagnostics Report)
Bagworm	CC	Bagworms
Bark Disease/ Bark Disease Foliar	E	Phytophthora
Bee Friendly Systemic Soil	D	Aphids, Lace bugs, Scale, Japanese Beetle, Leaf Miner
Bee Friendly Systemic Bark	M	Aphids, Scale, Borers, Adelgids
Beech Leaf Disease	QQ	Beech Leaf Disease
Beech Leaf Disease Injection - Borer Treatment	U Q	Beech Leaf Disease Wood Boring Insects
Boxwood Blight Treatment	TT, YY, MM	Boxwood Blight
Carpenter Ant Treatment	II, JJ	Carpenter Ants
Caterpillar Alert	CC	Caterpillars
Tick Habitat	T	Ticks
Deer Repellent – Early Spring, Spring, Late Spring, Early Summer, Summer, Late Summer, Early Fall	S, AA, WW	White-tailed Deer
Deer Repellent – Fall, Late Fall, Early Winter, Winter, Late Winter	PP	White-tailed Deer
DeerTech Winter Protection	PP	White-tailed Deer
DeerTech Service – February - September	S, V, AA, WW	White-tailed Deer
DeerTech Service – October - January	PP, S, V, AA	White-tailed Deer
Disease Treatment – Anti Bacterial	E	Fireblight
Disease Treatment - Deciduous	I, K	Scab, Rust, Anthracnose, Leaf Spots
Disease Treatment - Evergreen	I, K	Needlecast, Tip Blight, Leaf Spots
Disease Treatment - Integrated	I, K	Scab, Rust, Anthracnose, Leaf Spots, Needlecast, Tip Blights
Disease Treatment - Plus	I, K, E	Scab, Rust, Anthracnose, Leaf Spots, Fire Blight
Dutch Elm Disease	U	Dutch Elm Disease

Emerald Ash Borer – Soil Injection	G	Emerald Ash Borer
Emerald Ash Borer – Trunk Injection	P, X	Emerald Ash Borer
Fruit Treatment- Antibacterial	E	Fireblight
Fruit Treatment - Dormant	A	Scales, Aphids, Spider Mites, Caterpillars
Fruit Treatment – Disease 1-3	L	Scab, Rust, Leaf Spots
Fruit Treatment – Summer 1	Q	Codling Moth, Plum Curculio
Fruit Treatment – Summer 2,3,5,6	NN, B,QQ	Codling Moth, Plum Curculio, Apple Maggot, Fruit Rots
Fruit Treatment – Summer 4,7,8	L, B,QQ	Codling Moth, Plum Curculio, Apple Maggot, Fruit Rots
Fruit Treatment – Late Season	CCC	Peach Leaf Curl
Goose Repellents	VV	Canada Geese
Hemlock Bark	HH	Hemlock Woolly Adelgid, Hemlock Scale
Hemlock Woolly Adelgid	A	Hemlock Woolly Adelgid
Japanese Beetle	Q	Japanese Beetle
Leafminer	HH	Boxwood Leafminer
Mosquito/ Surface Insect	GG	Mosquitoes
Mosquito Treatments	KK	Mosquitoes
Mosquito–Organic	GG	Mosquitoes
Mosquito and Tick Treatments	KK	Mosquitoes, Ticks
Mosquito and Tick - Organic	GG, O	Mosquitoes, Ticks
Organic Tick Treatments	O	Ticks
Organic Fruit - Dormant	A	Scales, Aphids, Spider Mite, Caterpillars
Organic Fruit – Antibacterial	E	Fireblight
Organic Fruit – Disease 1-3	BBB	Scab, Rust, Leaf Spots
Organic Fruit – Summer 1,3,5	CC, BBB	Codling Moth, Plum Curculio, Apple Maggot, Fruit Rots
Organic Fruit – Summer 2,4,6,7	C, BBB	Codling Moth, Plum Curculio, Apple Maggot, Fruit Rots
Organic Fruit – Late Season	CCC	Peach Leaf Curl
R1 – Horticultural Oil Treatment	A, W	Scales, Aphids, Spider Mites, Caterpillars, Sawflies, Adelgids, Lace Bugs, Leaf Beetles
R2 -Spring Foliar Treatment	W	Scales, Aphids, Spider Mites, Caterpillars, Sawflies, Adelgids, Lace Bugs, Leaf Beetles

R3 – 2 <sup>nd</sup> Spring Foliar Treatment	W, A	Scales, Aphids, Spider Mites, Caterpillars, Sawflies, Adelgids, Lace Bugs, Leaf Beetles
R4 – Summer Foliar Treatment	A, W	Scales, Aphids, Spider Mites, Caterpillars, Sawflies, Adelgids, Lace Bugs, Leaf Beetles
R5 – 2 <sup>nd</sup> Summer Foliar Treatment	A, W	Scales, Aphids, Spider Mites, Caterpillars, Sawflies, Adelgids, Lace Bugs, Leaf Beetles
R6 – Fall Foliar Treatment	A, W	Scales, Aphids, Spider Mites, Caterpillars, Sawflies, Adelgids, Lace Bugs, Leaf Beetles
Root Disease Treatment	X, XX	Phytophthora Root Rot
Root Weevil	J	Black Vine Weevil
Scale Treatments	A, LL	Scale Insects
Spider Mite – Early and Mid-Late	DD	Spider Mites
Spider Mite – Mid - Early and Late	Z	Spider Mites
Spotted Lanternfly	J	Spotted Lanternfly
Systemic Scale Treatments	HH	Scale Insects
Systemic Bark	HH	Spotted Lanternfly
Systemic Soil Treatments	G	Adelgids, Aphids, Lace Bugs, Sawflies, Leafminers, Flat-headed Borers
Tick Treatments	W	Ticks
Tree Injection Treatment	TIAB, TIAL, TIAF, TIF, TIIM, TIMS, TIMY, TIT, TID	Various Insects and Diseases
Tree Injection Treatment – Disease	K, AAA	Fireblight, Phytophthora, Fungal Diseases
Tree Injection Treatment – Insect (Biennial Protection)	P, X	Wood Boring Insects
Tree Injection -Insect	RR	Spotted Lanternfly
Tree Injection -Insect (Organic)	UU	Borers, Caterpillars, Beetles
Turpentine Beetle	Q	Turpentine Beetles

The ingredients listed may be used separately or in combination, depending upon weather, season, or severity of the past problem. In the event that we select an ingredient other than indicated above, we will notify you.

The Vermont Agency of Agriculture Food and Markets requires us to provide you with this information regarding pesticide applications. Please contact (802) 862-0302 (Burlington Office) or (802) 856-8733 (Jamaica Office) with any questions or concerns.

Service Name	Product Name	Proposed Rate
ArborBalance Treatment	F	1 qt / 2.75 gal H2O
Bark (Foliar) Disease Treatment	E	40 oz / 100 gal H2O
Bark Disease Treatment	E	1/2 gal / 1 gal H2O
Bee Friendly Soil Treatment	D	0.125 oz / diameter inch
Borer Treatment	Q	64 oz / 100 gal H2O
Carpenter Ant Treatment	II, JJ	3oz / 3g
Carpenter Ant Treatment 2	II, JJ	3oz / 3g
Deer Repellent Treatment - Spring and Summer	R	18 oz / 1 gal H2O
Deer Repellent Treatment - Spring and Summer	AA	1 gal / 9 gal H2O
Deer Repellent Treatment - Fall and Winter	ZZ	21 oz / 1 gal H2O
DeerTech Winter Protection Treatment	N	1 part / 2 parts H2O
Disease Treatment Anti-Bacterial	E	40oz per 100
Disease Treatment Plus	I	1 lb / 100 gal H2O
Disease Treatment Plus	K	6 oz / 100 gal H2O
Disease Treatment Plus	E	40 oz / 100 gal H2O
Disease Treatment-Deciduous and Evergreen	I	1 lb / 100 gal H2O
Disease Treatment-Deciduous and Evergreen	K	6 oz / 100 gal H2O
Disease Treatment-Integrated	I	2 lb / 100 gal H2O
Disease Treatment-Integrated	K	8 oz / 100 gal H2O
Dutch Elm Disease Treatment	U	2.4 oz / diameter inch
Emerald Ash Borer Trunk Injection Treatment	P	5 ml / diameter inch
Fruit Treatment - Dormant	A	2 gal / 100 gal H2O
Fruit Treatment - Antibacterial	E	1/2 gal / 1 gal H2O
Fruit Treatment - Disease - 1 - 3	L	6 oz / 100 gal H2O
Fruit Treatment - Summer 1	Q	8 oz / 100 gal H2O
Fruit Treatment - Summer 2, 3, 5, 6, 8	NN	7.25 oz / 100 gal H2O
Fruit Treatment - Summer 2, 3, 5, 6, 8	B	12 oz / 100 gal
Fruit Treatment - Summer 4, 7	L	6 oz / 100 gal H2O

Fruit Treatment - Summer 4, 7	B	12 oz/ 100 gal
Fruit Treatment -Late Season	TT	22 oz/ 100 gal H2O
Hemlock Woolly Adelgid Treatment	A	2 gal/ 100 gal H2O
Japanese Beetle Treatment	Q	8 oz/ 100 gal H2O
Leaf Miner Treatment	HHH	8oz/100 gal H2O
Mosquito Treatment	KK	5 oz/ 100 gal H2O
Mosquito Treatment - Organic	GG	1 gal/ 100 gal H2O
Mosquito and Tick Treatment	KK	5 oz/ 100 gal H2O
Mosquito and Tick Treatment - Organic	GG	1 gal/ 100 gal H2O
Mosquito and Tick Treatment - Organic	O	8 oz/ 100 gal H2O
Organic Caterpillar Treatment	C	8 - 16 oz/ 100 gal H2O
Organic Fruit Treatment - Dormant	A	2 gal/ 100 gal H2O
Organic Fruit Treatment - Antibacterial	E	1/2 gal/ 1 gal H2O
Organic Fruit Treatment - Disease 1 - 3	BBB	32 oz/ 100 gal H2O
Organic Fruit Treatment - Summer 1, 3, 5	BBB	32 oz/ 100 gal H2O
Organic Fruit Treatment - Summer 1, 3, 5	CC	6 oz/ 100 gal H2O
Organic Fruit Treatment - Summer 2, 4, 6, 7, 8	BBB	32 oz/ 100 gal H2O
Organic Fruit Treatment - Summer 2, 4, 6, 7, 8	C	16 oz/ 100 gal H2O
Organic Fruit Treatment -Late Season	CCC	64 oz/ 100 gal H2O
Organic Plant Health Care Treatment - R1	A	2 gal/ 100 gal H2O
Organic Plant Health Care Treatment - R2 - R6	C	16 oz/ 100 gal H2O
Organic Rescue Treatment	O	8 oz/ 100 gal H2O
Organic Tick Treatment	O	8 oz/ 100 gal H2O
R1-Horticultural Oil Treatment	A	2 gal/ 100 gal H2O
R2-Spring Foliar Treatment and Ltd.	W	45 ml/ 100 gal H2O
R3, R4, R5 Foliar Treatments	A	1 gal/ 100 gal H2O
R3, R4, R5 Foliar Treatments	W	45 ml/ 100 gal H2O
R6-Fall Foliar Treatment	A	2 gal/ 100 gal H2O
Root Disease Treatment	XX	4 lbs/ 1000 sq ft
Scale Treatments	LL	8 oz/ 100 gal H2O
Scale Treatments	A	1/2 gal/ 100 gal H2O
Spider Mite Treatments	Z	2 oz/ 100 gal H2O
Spider Mite Treatments	DD	4 oz/ 100 gal H2O

Sycamore Anthracnose Treatment	U	1.6 oz / diameter inch
Systemic Soil Treatment	S	0.1oz / Diameter Inch
Tick Treatment	W	45 ml / 100 gal H2O
Tree Injection Treatment	TIAB	1 capsule / 2 diameter inches
Tree Injection Treatment	TIAF	1 capsule / 2 diameter inches
Tree Injection Treatment	TIAL	1 capsule / 2 diameter inches
Tree Injection Treatment	TIF	1 capsule / 2 diameter inches
Tree Injection Treatment	TIM	1 capsule / 2 diameter inches
Tree Injection Treatment	TIT	1 capsule / 2 diameter inches
Tree Injection Treatment - Disease (Early and Mid Season)	AAA	0.28 grams / diameter inch
Tree Injection Treatment - Disease (Late Season)	K	6 - 10 ml / diameter inch
Tree Injection Treatment - Insect (Biennial Protection)	P	5 ml / inch of diameter

When multiple products are listed, products may be used alone or in combination. Actual products used will be indicated on the door hanger left at time of treatment. Labels, SDS, and any EPA Fact Sheets for the products used are available upon request.

INGREDIENT CODE A—Pure Spray 10E, ACTIVE INGREDIENTS: Mineral Oil, EPA Reg. No. 69526-5. KEEP OUT OF REACH OF CHILDREN. PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS. CAUTION: Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. FIRST AID: IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: PETRO-CANADA LUBRICANTS, INC., A SUNCOR ENERGY BUSINESS 403-296-3000, CANUTEC TRANSPORTATION: 613-996-6666, POISON CONTROL CENTER. ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not

contaminate water when disposing of equipment wash waters or rinsate. Apply this product only as specified on the label. MADE FOR: Petro-Canada Lubricants, INC.

INGREDIENT CODE B – Pyronyl Crop Spray, ACTIVE INGREDIENTS: Pyrethrins, Piperonyl Butoxide, EPA Reg. No. 655-489. KEEP OUT OF REACH OF CHILDREN, PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION: Harmful if swallowed or inhaled. Avoid breathing spray mist. Do not get in eyes. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling. FIRST AID: IF SWALLOWED: Immediately call a poison control center, physician, or the National Pesticide Telecommunications Network at 1-800-858-7378. Do not induce vomiting unless directed by the poison control center or physician. Do not give any liquid to person. Do not give anything by mouth to an unconscious or convulsing person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center, physician, or the National Pesticide Telecommunications Network at 1-800-858-7378 for treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia. ENVIRONMENTAL HAZARDS: This product is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not apply directly to water except as indicated in the Directions for Use. Pyronyl Crop Spray is relatively non-toxic to Honey Bees. DO NOT ENTER INTO TREATED AREAS UNTIL SPRAYS HAVE DRIED. Manufactured By: Prentiss Incorporated. 0405.

INGREDIENT CODE C – AzaGuard, ACTIVE INGREDIENTS: Azadirachtin, EPA Reg. No. 70299-17. KEEP OUT OF THE REACH OF CHILDREN, PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS: CAUTION: Harmful if inhaled or absorbed through the skin, eyes, or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before use. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove contaminated clothing and wash clothing before reuse. FIRST AID: IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-222-1222 for emergency medical treatment information. ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic invertebrates. For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Do not apply when weather conditions favor drift from treated areas. Runoff from treated area may be hazardous to aquatic organisms in neighboring areas. Manufactured By: BioSafe Systems, LLC

INGREDIENT CODE D - Acelepryn, ACTIVE INGREDIENTS: Chlorantraniliprole, EPA Reg. No. 100-1489. KEEP OUT OF REACH OF CHILDREN. PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS. When used as directed this product does not present a hazard to humans or domestic animals. FIRST AID: HOT LINE NUMBER: For 24-hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), Call 1-800-888-8372. ENVIRONMENTAL HAZARDS: This pesticide is toxic to aquatic invertebrates, oysters and shrimp. Do not apply directly to water. Drift and runoff may be hazardous to aquatic organisms in water adjacent to use sites. SURFACE WATER ADVISORY: This product may impact surface water quality due to runoff of rain water. This is especially true for poorly

draining soils and soils with shallow ground water. This product is classified as having a high potential for reaching surface water via runoff for several months or more after application. A level, well maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential loading of chlorantraniliprole from runoff water and sediment. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours. GROUND WATER ADVISORY: This chemical has properties and characteristics associated with chemicals detected in ground water. This chemical may leach into ground water if used in areas where soils are permeable, particularly where the water table is shallow. NON-AGRICULTURAL USE REQUIREMENTS: Do not enter or allow others to enter the treated area until sprays have dried. Manufactured By: Syngenta.

INGREDIENT CODE E – Reliant Systemic Fungicide, ACTIVE INGREDIENTS: Mono- and di-potassium salts of Phosphorous Acid, EPA Reg. No. 83416-1. KEEP OUT OF REACH OF CHILDREN, PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION: Harmful if swallowed, absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or spray mist. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse. Wear the appropriate Personal Protective Equipment. FIRST AID: IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call poison control center or doctor for treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment. HOT LINE NUMBER: NATIONAL POISON CONTROL, 1-800-222-1222. ENVIRONMENTAL HAZARDS: For Terrestrial Use: Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Manufactured By: Quest Products Corp. 11712230<sup>th</sup> Street, \*Linwood, KS 66052.

INGREDIENT CODE F – Cambistat 2SC, Plant Growth Regulator for Trees, ACTIVE INGREDIENTS: Paclobutrazol, EPA Reg. No. 74779-3. KEEP OUT OF REACH OF CHILDREN, PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION: Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes, or clothing. FIRST AID: IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. HOTLINE NUMBER: Have the product container or label with you when calling a poison control center or doctor or going for treatment. For 24 hour medical Emergency Assistance, (Human or Animal) or chemical Emergency Assistance (Spill, leak, fire, or accident), call 1-800-424-9300. ENVIRONMENTAL HAZARDS: Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean water high mark. Do not contaminate water when cleaning equipment or disposing of equipment washwater. DO NOT ENTER INTO TREATED AREAS UNTIL SPRAYS HAVE DRIED. Manufactured By: Rainbow Treecare Scientific Advancements.

INGREDIENT CODE G—Merit 2F Insecticide. ACTIVE INGREDIENTS: Imidacloprid. EPA Reg. No. 101563-60. KEEP OUT OF REACH OF CHILDREN. CAUTION. PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes, or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Keep children or pets off treated area until spray is dry. FIRST AID: IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lens, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. HOT LINE NUMBER: In case of emergency, contact Prostar at 1-877-250-9291. Have the product container or label with you when calling a poison control center or doctor or going for treatment. NOTE TO PHYSICIAN: No specific antidote is available. Treat the patient symptomatically. ENVIRONMENTAL HAZARDS: This product is highly toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. This chemical demonstrates the properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. DIRECTIONS FOR USE: Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Manufactured by: Bayer Environmental Science

INGREDIENT CODE H—CoreTect Tree and Shrub Tablets Insecticide. ACTIVE INGREDIENTS: Imidacloprid. EPA Reg. No. 432-1457. KEEP OUT OF REACH OF CHILDREN. PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION: Harmful if swallowed or absorbed through skin. Avoid contact with skins, eyes, or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. FIRST AID: IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. In case of emergency call toll free the Bayer Environmental Science Emergency Response Telephone No. 1-800-334-7577. Have a product container or label with you when calling a poison control center or doctor, or going for treatment. NOTE TO PHYSICIAN: No specific antidote is available. Treat the patient symptomatically. ENVIRONMENTAL HAZARDS: This product is highly toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. This chemical demonstrates the properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater

contamination. DO NOT ENTER INTO TREATED AREAS UNTIL SPRAYS HAVE DRIED.  
Manufactured By: Bayer Corporation.

INGREDIENT CODE I – Protect DF Specialty Fungicide, ACTIVE INGREDIENTS: Mancozeb; a coordination product of zinc and manganese ethylene bisdithiocarbamate. EPA Reg. No. 1001-77. KEEP OUT OF REACH OF CHILDREN, PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. FIRST AID: IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product or container label ready when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-992-5994 day or night for emergency treatment information. ENVIRONMENTAL HAZARDS: This pesticide is toxic to aquatic organisms. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate. In case of emergency endangering health or the environment involving this product, call 1-800-992-5994. KEEP UNPROTECTED PERSONS OUT OF TREATED AREA UNTIL SPRAYS HAVE DRIED.  
Manufactured By: NuFam

INGREDIENT CODE J – Talstar P Insecticide, ACTIVE INGREDIENTS: Bifenthrin. EPA Reg. No. 279-3206. KEEP OUT OF REACH OF CHILDREN, PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove contaminated clothing and wash before reuse. FIRST AID: IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. HOTLINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact FMC Corporation for human health and animal health, (800) 331-3148. NOTE TO PHYSICIAN: This product is a pyrethroid. If large amounts have been ingested, the stomach and intestine should be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase absorption and so should be avoided. ENVIRONMENTAL HAZARDS: This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters. Care should be used when spraying to avoid fish and reptile pets in/around ornamental ponds. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow to drift to blooming crops if bees are visiting the treatment area. DO NOT ALLOW PEOPLE OR PETS ON TREATED SURFACES UNTIL THE SPRAY HAS DRIED. Manufactured By: FMC Corp, 0209.

INGREDIENT CODE K-Strider-Fungicide-ACTIVE INGREDIENTS: Propiconazole. EPA Reg. No. 228-623. KEEP OUT OF REACH OF CHILDREN. Precautionary Statements: HAZARDS TO HUMANS AND DOMESTIC ANIMALS. WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with eyes, skin or clothing. Avoid breathing vapor or spray mist. FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. HOTLINE NUMBER: Have the product container or label when calling a poison control center or doctor or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information. NOTE TO PHYSICIAN: If ingested, induce emesis or lavage stomach. Treat symptomatically. ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater. Manufactured by: Nufams Americas Inc.

INGREDIENT CODE K-Propizol, Active Ingredient: Propiconazole. EPA Reg. No: 74578-8. KEEP OUT OF REACH OF CHILDREN, Caution. PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with eyes, skin or clothing. Avoid breathing vapor or spray mist. Wear goggles or face shield. Wear rubber gloves and a long sleeve shirt when mixing, handling, and/or applying the product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth if possible. Call a poison control center or doctor for treatment advice. HOTLINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact (800)255-3924 for emergency medical treatment information. NOTE TO PHYSICIAN: If ingested, induce emesis or lavage stomach. Treat Symptomatically. ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. MANUFACTURED BY: ARBORJET, INC.

INGREDIENT CODE L Mycotect – Active Ingredients: Myclobutanil, EPA Reg. No. 42750-166-74779. KEEP OUT OF REACH OF CHILDREN, Caution. PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION: Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. NOTE TO PHYSICIAN: Contains petroleum distillate – vomiting may cause aspiration pneumonia. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact CHEMTREC toll free at 1-800-424-9300 day or night, for emergency treatment information. PHYSICAL AND CHEMICAL HAZARDS: Flammable. Keep away from heat and open flame. ENVIRONMENTAL HAZARDS: Do not apply directly to water or to areas where surface water is present, or to intertidal areas below that mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Manufactured By: Rainbow Treecare Scientific Advancements.

INGREDIENT CODE M – TriStar 8.5 SL, Insecticide, ACTIVE INGREDIENTS: Acetamiprid, EPA Reg. No. 8033-106-1001. KEEP OUT OF REACH OF CHILDREN, PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION: Harmful if swallowed, absorbed through skin, or inhaled. Avoid breathing vapors or spray mist. Avoid contact with eyes, skin or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Keep out of reach of children and domestic animals. FIRST AID: IF SWALLOWED: Immediately call a Poison Control Center or doctor for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. For Medical Emergencies, call CHEMTREC, 1-800-424-9300. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. NOTE TO PHYSICIAN: There is no specific antidote. All treatment should be based on observed signs and symptoms of distress in the patient. Overexposure to materials other than this product may have occurred. ENVIRONMENTAL HAZARDS: This product is very toxic to bees. Do not apply this product while bees are visiting the treated area. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Do not contaminate water used for irrigation or domestic purposes. Manufactured By: CLEARY CHEMICALS, LLC,

INGREDIENT CODE N – DeerPro Winter Animal Repellent, ACTIVE INGREDIENTS: Thiram, EPA Reg. No. 84178-1. KEEP OUT OF REACH OF CHILDREN, PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION: Causes eye and skin irritation. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin or on clothing. Avoid inhaling of spray mist. Routinely shower or bathe after work. Consumption of alcoholic beverages increases the toxic effects of Thiram. FIRST AID: Have label with you when obtaining treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor immediately for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a

poison control center or doctor immediately for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice. SYMPTOMS OF POISONING: No specific symptoms. Acute poisoning is accompanied by general depression and illness. Consumption of alcoholic beverages with exposure to Thiram may cause flushing, breathing difficulty, nausea, vomiting and low blood pressure. In case of poisoning, call a physician immediately. Have patient lie down and keep quiet. NOTE TO PHYSICIAN: No specific antidote is available. Treat symptomatically. In the presence of consumed alcohol, Thiram responds similarly to Disulfiram. ENVIRONMENTAL HAZARDS: This chemical is toxic to fish, aquatic invertebrates, oysters, and shrimp. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate. ENDANGERED SPECIES This product may have effects on federally listed threatened or endangered species or their critical habitat in some counties. It is a violation of Federal law to kill, harm or harass listed animal species without authorization. PHYSICAL OR CHEMICAL HAZARD: Do not apply or store near heat or open flame. Only protected handlers may be in the area during application. Manufactured By: Great Oak, INC. A complete copy of this label is available upon request.

INGREDIENT CODE O – CedarCure, Active Ingredients: Cedar wood Oil, .765%, Other Ingredients . . .23.5%. PRECAUTIONARY STATEMENTS: May cause eye and skin irritation. Avoid contact with eyes, skin and clothes. FIRST AID: IN EYES: Flush with plenty of water. Seek prompt medical attention if irritation persists. IF ON SKIN: Wash with soap & water. IF INHALED: Remove exposed person(s) to fresh air. IF SWALLOWED: Rinse mouth out with water. Do not induce vomiting. Seek medical attention if feeling sick or nauseous. Manufactured by ICT Organics.

INGREDIENT CODE -P – Mectinite, Active Ingredient: Emamectine Benzoate & Other Ingredients. EPA Reg. No: 74779-17. CAUTION: Keep Out Of Reach of Children. FIRST AID: IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. IF SWALLOWED: Call a poison control center for treatment advice. Have person sip glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment. NOTE TO PHYSICIAN: Early signs of intoxication include dilation of pupils, muscular incoordination, and muscular tremors. Vomiting within one-half hour of exposure can minimize toxicity following accidental ingestion of the product; rapidly after exposure (<15 minutes) administer repeatedly medical charcoal in a large quantity of water or ipecac. If toxicity from exposure has progressed to cause severe vomiting, the extent of the resultant fluid and electrolyte imbalance should be gauged. Appropriate supportive parenteral fluid replacement therapy should be given, along with other required supportive measures (such as maintenance of blood pressure levels and proper respiratory functionality) as indicated by clinical signs, symptoms and measurements. In severe cases, observations should continue for at least several days until

clinical condition is stable and normal. Since emamectin benzoate is believed to enhance GABA activity in animals, it is probably wise to avoid drugs that enhance GABA activity (barbiturates, benzodiazepines, valproic acid) in patients with potentially toxic emamectin benzoate exposure. HOT LINE NUMBER: For 24-hour Medical Emergency Assistance (Human or Animal) or Chemical emergency Assistance (Spill, Leak, or Accident), Call CHEMTREC at 1-800-424-9300. PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS. Caution: Harmful if absorbed through skin. Harmful if inhaled. Harmful if swallowed. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Wear long sleeved shirt, long pants, socks, shoes and gloves. Avoid breathing spray mist. Remove and wash contaminated clothing before reuse. ENVIRONMENTAL HAZARDS: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash water. MANUFACTURED BY: Rainbow Ecoscience.

INGREDIENT CODE Q - Astro Insecticide. ACTIVE INGREDIENTS: Permethrin. EPA Reg. No. 279-3141. KEEP OUT OF REACH OF CHILDREN. PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. FIRST AID: IF SWALLOWED: Call a poison control center for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. HOTLINE NUMBER: Contact 1-(800)-331-3148 for Emergency Assistance. NOTE TO PHYSICIAN: This product contains aromatic hydrocarbons which can produce a severe pneumonitis if aspirated; consideration should be given to gastric lavage with an endotracheal tube in place. Treatment is controlled removal of exposure followed by symptomatic supportive care. ENVIRONMENTAL HAZARDS: This pesticide is highly toxic to bees exposed to direct treatment or residues on crops or weeds. Do not apply this product or allow it to drift to crops or weeds on which bees are actively foraging. Additional information may be obtained from your local Cooperative Extension Service. This product is extremely toxic to fish and aquatic invertebrates. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. To protect the environment, do not allow pesticide to enter or runoff into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that rain or wind does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage system. DO NOT ALLOW PEOPLE OR PETS ON TREATED AREAS UNTIL THE SPRAY HAS DRIED. DO NOT TOUCH SURFACE UNTIL DRY. Manufactured By: FMC Corporation, 0209.

INGREDIENT CODE R – Deer Pro Spring/Summer Deer Repellent. ACTIVE INGREDIENTS: Putrescent Whole egg solids, Capsaicin. EPA Reg. No. 84178-4. KEEP OUT OF REACH OF CHILDREN, FIRST AID: IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment

advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. **HOTLINE NUMBER:** Have the product container or label with you when calling a poison control center, doctor, or going for treatment. For emergency information containing this product, call the National Pesticides Information Center (NPIC) at 1-800-858-7378 seven days a week, 6:30 am to 4:30 pm Pacific Time ( NPIC Website: [www.Npic.orst.edu](http://www.Npic.orst.edu)). **PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS. CAUTION:** Causes skin and eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. **ENVIRONMENTAL HAZARDS:** For Terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Manufactured For: Great Oaks, INC >

**INGREDIENT CODE S – ORTHENE TURF, TREE, & ORNAMENTAL 97 SPRA. ACTIVE INGREDIENTS:** Acephate. EPA Reg.No. 5481-8978. **PRECAUTIONARY STATEMENTS:** HAZARDS TO HUMANS & DOMESTIC ANIMALS. CAUTION: HARMFUL IF SWALLOWED. KEEP OUT OF REACH OF CHILDREN. CAUTION: FIRST AID: ACEPHATE IS AN ORGANOPHOSPHATE, CHOLINESTERASE INHIBITOR. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for further treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately using milk with water and soap for 15-20 minutes. Call a poison control center or doctor for treatment advice. **FOR THE FOLLOWING EMERGENCIES, PHONE 24 HOURS A DAY:** Medical Emergencies phone – 1-888-681-4261. For Transportation Emergencies, including spill, leak or fire, phone: CHEMTREC – 1-800-424-9300. For Product Use Information phone: AMVAC – 1-888-462-6822. **NOTE TO PHYSICIAN:** This material contains a cholinesterase inhibitor. Measurement of blood cholinesterase activity may be useful in monitoring exposure but decisions regarding treatment will usually need to be made before test results are available. If signs of cholinesterase inhibition appear, atropine sulfate is antidotal. 2-PAM (PROTOPAM) is also antidotal and may be used in conjunction with atropine but should not be used alone. **ENVIRONMENTAL HAZARDS:** This pesticide is toxic to birds. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Cover with soil or soil-incorporate spills. This product and its degradate are highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are foraging the treatment area. **MANUFACTURED BY:** AMVAC

**INGREDIENT CODE T – THERMACELL – Tick Control Tubes. ACTIVE INGREDIENTS:** Permethrin. EPA Reg. No. 71910-10. **PRECAUTIONARY STATEMENTS:** KEEP OUT OF REACH OF CHILDREN. HAZARDS TO HUMANS AND DOMESTIC ANIMALS. CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. **FIRST AID: IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and

rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may call 1-800-222-1222 for emergency medical treatment information. Manufactured By: Thermacell Repellents, INC.

INGREDIENT CODE U – Arbotect 20-S Fungicide, ACTIVE INGREDIENTS: Thiabendazole Hypophosphite. EPA Reg. No. 100-892. KEEP OUT OF THE REACH OF CHILDREN, PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION: Harmful if swallowed. Harmful if inhaled. Avoid breathing spray mist. May irritate skin. Avoid contact with skin or eyes. FIRST AID: IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible. Call a poison control center or doctor for further treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. HOT LINE NUMBER: For 24 Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), Call 1-800-888-8372. ENVIRONMENTAL HAZARDS: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Manufactured By: Syngenta Crop Protection, 0909.

INGREDIENT CODE V – Hot Sauce Animal Repellent, ACTIVE INGREDIENTS: Capsaicin, Calif. Reg. No. 72-574-AA. KEEP OUT OF REACH OF CHILDREN, PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin, swallowed or inhaled. Avoid contact with skin, eyes, or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. PESTICIDE STORAGE: Keep away from children and domestic animals. Do not put concentrate or dilute material in food or drink containers. FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately using milk with water and soap for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for further treatment advice. HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Medical Emergency Assistance, call the National Pesticide Information Center at 1-800-858-7378, 6:30 AM to 4:30 PM Pacific Time (PT), seven days a week. For chemical emergency: spill, leak, fire, exposure or accident Call CHEMTREC (800) 424-9300. In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. CALL CHEMTREC 1-800-424-9300. To confine spill: Dike surrounding area or absorb with sand, cat litter or dry clay. Place damaged package in a holding container. Identify contents. NOTE TO PHYSICIAN: If swallowed – Lavage with a large bore tube and saline solution followed by instillation of antacids and antihistamine such as Benadryl. If aspirated into throat, bronchial tubes or lungs treat as an acute respiratory symptom by appropriate specialist. If in eyes – Flush with water or eye wash and topical antibiotic.

**ENVIRONMENTAL HAZARDS:** For terrestrial uses: This product may be toxic to aquatic organisms. Do not apply to or allow runoff to reach lakes, streams or ponds. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate. **DO NOT APPLY BY GROUND WITHIN 25 FEET, OR BY AIR WITHIN 150 FEET OF LAKES, RESERVOIRS, RIVERS, PERMANENT STREAMS, MARSHES OR NATURAL PONDS, ESTUARIES AND COMMERCIAL FISH FARM PONDS.** Manufactured By: Miller Chemical & Fertilizer Corporation.

**INGREDIENT CODE W – Tempo SC Ultra Insecticide, ACTIVE INGREDIENTS:** Beta-Cyfluthrin, EPA Reg. No. 101563-86. **KEEP OUT OF REACH OF CHILDREN, PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION:** Harmful if swallowed, inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse. **FIRST AID: IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything to an unconscious person. Have the product container or label with you when calling a poison control center or doctor or going for a treatment. The Bayer Environmental Science Emergency Response Telephone No. is 1-800-334-7577. **NOTE TO PHYSICIAN:** No specific antidote is available. Treat the patient symptomatically. **ENVIRONMENTAL HAZARDS:** This pesticide is extremely toxic to fish and aquatic invertebrates. Remove from premises or tightly cover fish tanks and disconnect aerators when applying indoors where such containers are present. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash waters. Apply this product only as specified on this label. This pesticide is highly toxic to bees exposed to direct treatment or residues on crops or weeds. Do not apply Tempo SC Ultra Insecticide or allow it to drift onto crops or weeds on which bees are actively foraging. Additional information may be obtained by consulting your Cooperative Extension Service. **DO NOT ENTER INTO TREATED AREAS UNTIL SPRAYS HAVE DRIED.** Manufactured By: Bayer Corporation, 0903.

**INGREDIENT CODE X – TREE-age R10, ACTIVE INGREDIENTS:** Emamectin Benzoate, EPA Reg. No. 74578-12. **KEEP OUT OF REACH OF CHILDREN, PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS, WARNING:** Causes substantial but temporary eye injury. Harmful if swallowed. Do not get in eyes or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses). Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. **FIRST AID: IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of soap and water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice if irritation persists. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water or two if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison

control center or doctor for further treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **NOTE TO PHYSICIAN:** Early signs of intoxication include dilation of pupils, muscular incoordination, and muscular tremors. Vomiting within one half hour of exposure can minimize toxicity following accidental ingestion of the product rapidly after exposure. Have the product container or label with you when calling a poison control center or doctor or going for treatment. **HOT LINE NUMBER:** For 24 hour medical emergency assistance (human, animal or Chemical emergency assistance (spill, leak, fire or accident) Call 1-800-255-3924. **ENVIRONMENTAL HAZARDS:** This product is highly toxic to fish, mammals, and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate. This product is highly toxic to Bees exposed to direct treatment or residues on blooming trees. Manufactured For: Arborjet, INC.

**INGREDIENT CODE Y – Shuttle O Miteicide, ACTIVE INGREDIENTS:** Acequinocyl, EPA Reg. No. 66330-38-59807. **KEEP OUT OF REACH OF CHILDREN, PRECAUTIONARY STATEMENTS:** HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Harmful if absorbed through skin. **FIRST AID:** **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to unconscious person. Have the product container label with you when calling a poison control center or doctor, or going for treatment. **FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE:** CALL OHP Inc. at 1-800-356-4647. **ENVIRONMENTAL HAZARDS:** This product is toxic to aquatic invertebrates such as Eastern oysters and mysid shrimp. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate. **SURFACE WATER STATEMENT:** This product may contaminate water through drift or spray in wind. This product has a potential for runoff for several days after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product. A level, well maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams and springs will reduce the potential for contamination of water from rainfall-runoff. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours. Sound erosion control practices will reduce this products contribution to surface water contamination. **KEEP CHILDREN, PETS AND UNPROTECTED PERSONS OUT OF TREATED AREAS UNTIL SPRAYS HAVE DRIED.** Manufactured By: Arysta Life Science Corporation, 0310.

**INGREDIENT CODE Z – Fordbid 4F, ACTIVE INGREDIENTS:** Spiromesifen, EPA Reg. No. 432-1279. **KEEP OUT OF REACH OF CHILDREN, PRECAUTIONARY STATEMENTS:** HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. **FIRST AID:** **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration. Call a poison control center or doctor for further treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF ON SKIN OR**

**CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. For medical and transportation emergencies only call 24 hours a day 1-800-334-9745. **NOTE TO PHYSICIAN:** No specific antidote is known. Treat symptomatically. Have a product container or label with you when calling a poison control center or doctor, or going for treatment. **ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic invertebrates. Avoid contamination of surface water through runoff or spray drift. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash water. **DO NOT ENTER TREATED AREAS UNTIL SPRAYS HAVE DRIED.** Manufactured By: Bayer Environmental Science, 0507.

**INGREDIENT CODE AA – Deer Stopper. ACTIVE INGREDIENTS:** Putrescent Whole Egg Solids 14.46%, Rosemary Oil 2.04%, Mint Oil 1.36%. **CAUTION: KEEP OUT OF THE REACH OF CHILDREN:** Store at room temperature. To reduce contact with skin, always wear gloves when handling. In case of eye contact or prolonged exposure to skin, flush thoroughly with water to reduce irritation. If swallowed, drink a glass of water. Buyers guarantee limited to label claims. When finished with contents, rinse this container and recycle. Manufactured by: Messina Wildlife.

**INGREDIENT CODE BB – Compass Fungicide. ACTIVE INGREDIENTS:** Trifloxystrobin. EPA Reg. No. 432-1371. **KEEP OUT OF REACH OF CHILDREN, PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION:** Causes moderate eye irritation. Harmful if absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling. **FIRST AID: IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. In case of emergency call Bayer Environmental Science Emergency Response Telephone No 1-800-334-7577. Have a product container or label with you when calling a poison control center or doctor, or going for treatment. **NOTE TO PHYSICIAN:** If ingested, induce emesis or lavage stomach. Treat symptomatically. **ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash water or rinseate. **GROUND WATER ADVISORY:** Several trifloxystrobin degradates have properties and characteristic associated with chemicals detected in ground water. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination. **DO NOT ENTER INTO TREATED AREAS UNTIL SPRAYS HAVE DRIED.** Manufactured By: Bayer Environmental Science, 0704.

**INGREDIENT CODE CC – Conserve SC, Turf and Ornamental Insect Control, ACTIVE INGREDIENTS:** Spinosad (including Spinosyn A and Spinosyn D). EPA Reg. No. 62719-291. **KEEP OUT OF REACH OF CHILDREN, USER SAFETY RECOMMENDATIONS:** Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. **ENVIRONMENTAL HAZARDS:** This product is toxic to bees exposed to treatment for 3 hours following treatment. Do not apply this pesticide to blooming, pollen-shedding or nectar-producing parts of plants if bees may forage on the plants during this time period. This product is toxic to aquatic invertebrates. Do not apply to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or when disposing of equipment washwaters. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Apply this product only as specified on the label. In case of emergency endangering health or the environment involving this product, call 1-800-992-5994. **ADULTS, CHILDREN, AND PETS SHOULD NOT CONTACT TREATED SURFACES UNTIL THE SPRAY HAS DRIED.** Manufactured By: Dow AgroSciences LLC. 0709.

INGREDIENT CODE DD – Bifenamite 2SC Ornamental Insecticide, ACTIVE INGREDIENTS: Bifenazate, EPA Reg. No. 42750-320. KEEP OUT OF REACH OF CHILDREN, PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION: Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. FIRST AID: IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to unconscious person. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For chemical emergency: spill, leak, fire, exposure or accident call CHEMTREC: 1-800-424-9300. ENVIRONMENTAL HAZARDS: This pesticide is toxic to birds, estuarine/marine invertebrates, and fish. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate. This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are foraging the treatment area. Manufactured By: Albaugh, LLC.

INGREDIENT CODE EE – Talstar PL Granular Insecticide, ACTIVE INGREDIENTS: Bifenthrin\*. EPA Reg. No. 279-3168-10404. KEEP OUT OF REACH OF CHILDREN, PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. FIRST AID: IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. HOTLINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-331-3148 for emergency assistance. NOTE TO PHYSICIAN: This product is a pyrethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase absorption and should be avoided. ENVIRONMENTAL HAZARDS: This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters or rinsate. Manufactured By: FMC Corporation, 0806.

INGREDIENT CODE FF – Endeavor Insecticide, ACTIVE INGREDIENTS: Pymetrozine, EPA Reg. No. 100-913. KEEP OUT OF REACH OF CHILDREN, PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION: Harmful if absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. HOTLINE NUMBER: For 24-Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire or Accident), Call 1-800-888-8372 ENVIRONMENTAL HAZARDS: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash water. DO NOT ENTER INTO TREATED AREAS WITHOUT PROTECTIVE CLOTHING UNTIL SPRAYS HAVE DRIED. Manufactured By: Syngenta Crop Protection, Inc. 0103.

INGREDIENT CODE GG – Garlic Gard, ACTIVE INGREDIENTS: Garlic Juice, KEEP OUT OF REACH OF CHILDREN, PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION: Avoid contact with eyes. DO NOT ENTER INTO TREATED AREAS UNTIL SPRAYS HAVE DRIED. Manufactured By: Soil Technologies Corp. 0197.

INGREDIENT CODE HH – Transect, ACTIVE INGREDIENTS: Dinotefuran, EPA Reg. NO. 59639-170-74779. KEEP OUT OF REACH OF CHILDREN, PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION: FIRST AID: IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or when going for treatment. For 24-Hour Emergency Assistance Call Chemtrec 1-800-424-9300. ENVIRONMENTAL HAZARDS: This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in water adjacent to treated areas. Do not dispose of equipment washwaters or rinseate into a natural drain or water body. Do not contaminate water when disposing of equipment washwaters or rinseate. Do not enter treated areas without protective clothing until sprays have dried. Keep all unprotected persons out of operating areas, or vicinity where there may be drift. Manufactured By: Rainbow Treecare, Scientific Advancements.

INGREDIENT CODE II – Advance Granular Carpenter Ant Bait, ACTIVE INGREDIENTS: Abamectin, EPA Reg. No. 499-370. KEEP OUT OF REACH OF CHILDREN, PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Do not contaminate kitchen utensils with this product. Pets may be attracted to this product. FIRST AID: IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center, physician, or the National Pesticide Telecommunications Network at 1-800-858-7378 for treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. Have product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-225-3320 for emergency medical treatment information. ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and wildlife. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Manufactured By: Whitmire Micro-Gen Research Laboratories, Inc 2005.

INGREDIENT CODE JJ—Maxforce Fleet. ACTIVE INGREDIENTS: Fipronil. EPA Reg. No. 432-1264. KEEP OUT OF REACH OF CHILDREN, PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION: May be harmful if swallowed. Avoid contact with skin or clothing. Keep exposed gel away from open foods and food contact surfaces. Wash hands thoroughly after handling. FIRST AID: IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-334-7577 for emergency medical treatment information. Manufactured By: Bayer Environmental Science, 2003.

INGREDIENT CODE KK—Demand CS. ACTIVE INGREDIENT: Lambda-cyhalothrin. KEEP OUT OF REACH OF CHILDREN, CAUTION. EPA Reg. No. 100-1066. FIRST AID: IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for further treatment advice. PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals. CAUTION: Harmful if absorbed through skin. Avoid breathing spray mist or vapor. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling, and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact may cause allergic skin reactions in some individuals. This product is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. When making applications, care should be used to avoid household pets, particularly fish and reptile pets. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. PHYSICAL AND CHEMICAL HAZARDS: Do not use this product in or on electrical equipment due to the possibility of shock hazard. KEEP CHILDREN AND PETS OFF TREATED AREAS UNTIL SPRAY HAS DRIED FOLLOWING APPLICATION. Manufactured for: Syngenta Crop Protection, LLC.

INGREDIENT CODE LL – Proxite. ACTIVE INGREDIENTS: Pyriproxyfen. EPA Reg. No. 59639-96-74779. KEEP OUT OF REACH OF CHILDREN. WARNING: HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION: Causes skin and eye irritation. Do not get on skin, in eyes or on clothing. Harmful if inhaled, swallowed, or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact CHEMTREC at 800-424-9300 for emergency medical treatment information.

**NOTE TO PHYSICIANS:** If ingested, probable mucosal damage may contraindicate the use of gastric lavage. This product contains a light hydrocarbon liquid; ingestion or subsequent vomiting can result in aspiration of this product, which can cause pneumonitis. **ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwater. Keep unprotected persons out of treated areas until sprays have dried. Manufactured for: Rainbow Treecare Scientific Advancements.

**INGREDIENT CODE MM – T-Methyl SPC 45 F Fungicide, ACTIVE INGREDIENTS:** Thiophante-methyl, EPA Reg. No. 228-626. **KEEP OUT OF REACH OF CHILDREN, PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION:** Causes moderate eye irritation. Harmful if swallowed or inhaled. Harmful if absorbed through skin. Avoid breathing spray mist. Avoid contact with eyes, skin or clothing. **FIRST AID:** IF SWALLOWED: Call a physician or Poison Control Center for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or physician. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a Poison Control Center or physician for further treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or physician for treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **HOTLINE NUMBER:** Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information. **ENVIRONMENTAL HAZARDS:** Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Do not enter or allow others to enter the treated areas without protective clothing until spray has dried. Manufactured For: Nurfarm Americas, INC.

**INGREDIENT CODE NN – Pristine, Fungicide, ACTIVE INGREDIENTS:** Pyraclostrobin\*, Boscalid, EPA Reg. No. 7969-199. **KEEP OUT OF REACH OF CHILDREN, In case of emergency endangering life of property involving this product, call day or night, 1-800-832-HELP (4357), PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION:** Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. **FIRST AID:** IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or when going for treatment. You may also contact BASF Corporation for emergency medical treatment information: 1-800-832-HELP (4357). **ENVIRONMENTAL HAZARDS:** Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. **SURFACE WATER ADVISORY:** This product may contaminate water through drift of spray in wind. This product has a potential for runoff for several months or more after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product. A level, well-maintained vegetative buffer strip between areas to

which this product is applied and surface water features such as ponds, streams and springs will reduce the potential for contamination of water from rainfall runoff. Runoff of this product will be reduced by avoiding applications when rainfall is forecast to occur within 48 hours. Sound erosion control practices will reduce this product's contribution to surface water contamination. This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. DIRECTIONS FOR USE: Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Manufactured By: BASF Corporation.

INGREDIENT CODE OO – Captan – 50% WP Fruit & Ornamental. ACTIVE INGREDIENT: Captan. EPA Reg. No. 4-459. PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS, DANGER: Corrosive. Causes irreversible eye damage. May be fatal if inhaled. Do not get in eyes or on clothing. Do not breathe dust. Prolonged or frequently repeated skin contact may cause allergic skin reaction in some individuals. FIRST AID: IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or when going for treatment. You may also contact 1-800-858-7378 for emergency medical treatment information. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. ENVIRONMENTAL HAZARDS: This chemical is toxic to fish. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. DIRECTIONS FOR USE: Do not allow this product to drift. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. ENTRY RESTRICTIONS: Do not allow people or pets to enter the treated area until sprays have dried. Manufactured By: Bonide Products, Inc.

INGREDIENT CODE PP – Deer Free, Winter Armor Deer Protection. ACTIVE INGREDIENT: White Pepper, 2-Phenethyl propionate. CAUTION: This product contains latex. If you have allergies to latex please do not use this product. Keep out of reach of children. In case of eye contact or prolonged exposure to skin, flush thoroughly with water for at least 15 minutes. If swallowed seek medical attention immediately. Manufactured for: Garden Girls Repellents LLC.

INGREDIENT CODE QQ – Broadform, Active Ingredient: Fluopyram, Trifloxystrobin & other Ingredients. EPA Reg. No: 101563-158. PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS. Harmful if swallow, wed, inhaled, or absorbed through skin. Avoid contact with eyes, skin, or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. FIRST AID: IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing.

Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth if possible. Call a poison control center or doctor for treatment advice. In Case of emergency call toll free the Bayer CropScience Emergency Response, Telephone No. 1-800-334-7577. Have product container or label with you when calling a poison control center or doctor, or going for treatment. NOTE TO PHYSICIAN: Treat Symptomatically. ENVIRONMENTAL HAZARDS: For terrestrial uses: Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Surface Water Label Advisories: This product may impact surface water quality due to runoff of rainwater. This is especially true for poorly draining soils and soils with shallow ground water. This product is classified as having high potential for reaching surface water via runoff for several months or more after application. Ground Water Advisory: This chemical has properties and characteristics associated with chemicals detected in ground water. This chemical may leach into groundwater if used in areas where soils are permeable, particularly where the water table is shallow. MANUFACTURED BY: Bayer Environmental Science.

INGREDIENT CODERR – Xytect 10% Infusible Insecticide, Active Ingredient: Imidacloprid & Other Ingredients. EPA Reg. No: 74779-11. CAUTION: Keep Out Of Reach of Children. FIRST AID: IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth if possible. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor or going for treatment. For 24-hour medical emergency assistance (human or animal), or chemical emergency assistance (spill, leak or accident). Call CHEMTREC at 1-800-424-9300. NOTE TO PHYSICIAN: There is not a specific antidote available. Treat Patient Symptomatically. PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin, or clothing. Causes eye irritation. Wash thoroughly with soap and water after handling. Avoid breathing vapors. Remove and wash contaminated clothing before reuse. ENVIRONMENTAL HAZARDS: This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, or to areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater. MANUFACTURED BY: Rainbow Treecare Scientific Advancements

INGREDIENT CODE -SS – Tide Triadimefon 43 SC, Active Ingredient: Triadimefon & Other Ingredients. EPA Reg. No: 84229-55. CAUTION: Keep Out Of Reach of Children. FIRST AID: IF SWALLOWED: Immediately call a poison control center or doctor for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a

poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth if possible. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. HOTLINE NUMBER: Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information on this pesticide product, including health concerns, medical emergencies, or pesticide incidents, you may call CHEMTREC at 1-800-424-9300, 24 hours per day, 7 days per week. NOTE TO PHYSICIAN: The compound does not cause any definite symptoms that would be diagnostic. Poisoning is accompanied by hyperactivity followed by sedation. There is not a specific antidote available. Treat Patient Symptomatically. PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. ENVIRONMENTAL HAZARDS: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to organisms in neighboring areas. This product may contaminate water through runoff. This product has a high potential for runoff for several months or more after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product. GROUNDWATER ADVISORY: This chemical demonstrates the properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable particularly where the water table is shallow, may result in groundwater contamination. MANUFACTURED BY: Tide International, USA, Inc.

INGREDIENT CODE TT – Daconil WeatherStik Flowable Fungicide. ACTIVE INGREDIENT: Chlorothalonil. EPA Reg. No. 50534-209-100. CAUTION: Keep Out Of Reach of Children. PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS. CAUTION: Harmful if absorbed through skin. Harmful if inhaled. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Wear long-sleeved shirt and long pants, socks, shoes and chemical resistant gloves. Remove and wash contaminated clothing before reuse. Avoid breathing spray mist. Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. FIRST AID: IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for further treatment advice. If SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. NOTE TO PHYSICIAN: Persons suffering with temporary allergic skin reactions may respond to

treatment with oral antihistamines and topical or oral steroids. Have the product container or label with you when calling a poison control center or doctor, or when going for treatment. HOT LINE NUMBER: For 24-hour medical emergency assistance (human or animal) or Chemical Emergency Assistance (Spill, Leak, Fire or Accident), Call 1-800-888-8372. ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates and wildlife. DO NOT apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. DO NOT contaminate water when disposing of equipment wash water or rinsate. This chemical is known to leach through soil into groundwater under certain conditions as a result of label use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. This chemical can contaminate surface water through spray drift. Under some conditions, it may have a high potential for runoff into surface water for several days to weeks after application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas over-laying extremely shallow ground water, areas with infield canals or ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas over-laying tile drainage systems that drain to surface water. Manufactured by Syngenta.

INGREDIENT CODE - UU – AzaSol, Active Ingredient: Azadirachtin & Other Ingredients. EPA Reg. No. 81899-4-74578. CAUTION: Keep Out Of Reach of Children. FIRST AID: IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment. For medical emergencies, phone 24 hours a day, National Pesticide Telecommunication Network at 1-800-858-7378. PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS. Caution: Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco. Avoid breathing spray mist. Remove contaminated clothing and wash clothing before reuse. ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic invertebrates. Terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not apply when weather conditions favor drift from treated areas. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash waters. MANUFACTURED BY: Arborjet, Inc.

INGREDIENT CODE VV – Avian Control. ACTIVE INGREDIENT: Methyl Anthranilate, Methyl 2-aminobenzoate. EPA Reg No. 88889-1. CAUTION: Keep Out Of Reach of Children. FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Poison Control Center at 800-900-4044 for emergency medical treatment information. PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. ENVIRONMENTAL HAZARDS: For terrestrial uses, do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Keep unprotected persons out of treated areas until sprays have dried. Manufactured for: Avian Enterprises, LLC.

INGREDIENT CODE WW - Deer Free Summer Amor- ACTIVE INGREDIENTS: Lauryl Sulfate, 2 Phenethyl Propionate, White Pepper. CAUTION: Keep out of reach of children. In case of eye

contact or prolonged exposure to skin, flush thoroughly with water for at least 15 minutes. If swallowed seek medical attention immediately. Manufactured For: Garden Girls Repellents LLC

INGREDIENT CODE XX – Subdue GR, Granular Fungicide. ACTIVE INGREDIENT: Mefenoxam. EPA Reg. No. 100-794. CAUTION: Keep Out Of Reach of Children. PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals. Causes moderate eye irritation. Harmful if inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing dust. FIRST AID: IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably by mouth to mouth, if possible. Call a poison control center or doctor for further treatment advice. HOT LINE NUMBER: 1-800-888-8372. ENVIRONMENTAL HAZARDS: Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water. GROUNDWATER ADVISORY STATEMENT: Mefenoxam is known to leach through soil into groundwater under certain conditions as a result of label use. This chemical may leach into groundwater if used in areas where soils are permeable, particularly where the water table is shallow. Manufactured by Syngenta.

INGREDIENT CODE YY – Toumey EZ Fungicide. ACTIVE INGREDIENT: Metconazole. EPA Reg. No. 59639-257. CAUTION: Keep Out Of Reach of Children. PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. FIRST AID: IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. For emergency medical treatment information call: 1-800-888-8372. ENVIRONMENTAL HAZARDS: This pesticide is toxic to shrimp, fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by disposing of equipment washwaters or rinsate. Drift and runoff from treated areas may be hazardous to aquatic organisms in water adjacent to treated areas. GROUNDWATER ADVISORY STATEMENT: This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. SURFACE WATER ADVISORY: This product may contaminate water through drift of spray in wind. This product has a high potential for runoff for several months or more after application. Poorly draining soils or soils with shallow water tables are more prone to runoff that contains this product. A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features, such as ponds, streams and springs, will reduce the potential for contamination of water from rainfall runoff. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours. Manufactured by Valent Professional Products.

INGREDIENT CODE ZZ – Bobbex Winter Formula. ACTIVE INGREDIENT: Putrescent whole egg, Castor oil, Garlic oil. CAUTION: Avoid contact with eyes or open skin abrasions. Should contact occur, FLUSH with water until clean. Keep out of reach of children. Manufactured by Bobbex Inc.

INGREDIENT CODE AAA – Arbor-OTC – Injectable Tree Antibiotic. ACTIVE INGREDIENT: Oxytetracycline Hydrochloride\*, EPA Reg. No. 74578-7. CAUTION: Keep Out Of Reach of Children. PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals. Causes substantial but temporary eye injury. Harmful if inhaled. Avoid breathing dust. Do not get in eyes or on

clothing. Wear protective eyewear (goggles, facemask or safety glasses). Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. **FIRST AID:** IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. IF INHALED: Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferable mouth-to-mouth, if possible. Call a poison control center or a doctor for treatment advice. You may also contact the American Association of Poison Control Centers at 1-800-222-1222 for emergency medical treatment information. **ENVIRONMENTAL HAZARDS:** Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash water or rinsate. Manufactured by Arborjet, Inc.

**INGREDIENT CODE BBB – Regalia PTO- ACTIVE INGREDIENT:** Extract of *Reynoutria sachalinensis*. EPA Reg. No. 84059-3-87865. **KEEP OUT OF REACH OF CHILDREN, CAUTION:** **FIRST AID:** IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferable mouth-to-mouth, if possible. Call a poison control center or a doctor for treatment advice. IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. **PRECAUTIONARY STATEMENTS, HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. **ENVIRONMENTAL HAZARDS:** For terrestrial uses: Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Keep unprotected persons out of treated areas until sprays have dried. Manufactured by: Marrone Bio Innovations

**INGREDIENT CODE CCC – Cueva- ACTIVE INGREDIENT:** Copper Octanoate. EPA Reg. No. 67702-2-70051. **KEEP OUT OF REACH OF CHILDREN, CAUTION:** **FIRST AID:** IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferable mouth-to-mouth, if possible. Call a poison control center or a doctor for treatment advice. IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. **PRECAUTIONARY STATEMENTS:** Hazards to humans and domestic animals: **CAUTION:** Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. **Environmental Hazards:** this product is toxic to fish and aquatic organisms and may contaminate water through runoff. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by disposal of equipment water through runoff. Poorly draining soils with shallow water tables are more prone to produce runoff that contains this product. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not enter or allow others to enter until sprays have dried. Manufactured for: Certis USA LLC

**INGREDIENT CODE DDD – Bobbex Spring, Summer, Fall Formula. ACTIVE INGREDIENTS:** Putrescent whole egg, Castor oil, Garlic oil. **CAUTION:** Avoid contact with eyes or open skin abrasions. Should contact occur, FLUSH with water until clean. Keep out of reach of children.

INGREDIENT CODE EEE – Sluggo – Active Ingredient: Iron Phosphate, EPA Reg. No. 67702-3-70051. KEEP OUT OF REACH OF CHILDREN, CAUTION: FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information, call the hotline number 1-800-255-3924. PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals: CAUTION: causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. ENVIRONMENTAL HAZARDS: For Terrestrial uses. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Manufactured by: Certis USA LLC.

INGREDIENT CODE FFF - ARACINATE Active Ingredient: Abamectin, EPA Reg. No. 74779-1. KEEP OUT OF REACH OF CHILDREN, WARNING. FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately using milk with water and soap for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for further treatment advice. HOT LINE NUMBER: For 24-Hour Medical Emergency Assistance (Human or Animal), or Chemical Emergency Assistance (Spill, Leak, or Accident). Call CHEMTREC at 1-800-424-9300. PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS. ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and wildlife. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. MANUFACTURED BY: Rainbow Ecoscience

INGREDIENT CODE GGG – LUCID ORNAMENTAL MITICIDE/INSECTICIDE, Active Ingredient: Abamectin, EPA Reg. No. 83100-5-83979- FIRST AID (Avermectin B1): IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately using milk with water and soap for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for further treatment advice. NOTE TO PHYSICIAN: Recommendations for Medical Treatment for LUCID (Avermectin b1) Acute Toxicity: Early signs of intoxication include mydriasis (dilated pupils), ataxia (unsteadiness) and muscle tremors. Toxicity following accidental ingestion of the concentrate can be minimized by inducing vomiting within one-half hour of exposure. If toxicity from exposure has progressed to cause severe vomiting, the extent of resultant fluid and electrolyte imbalance should be gauged. Appropriate supportive parenteral fluid replacement therapy should be given, along with other required supportive measures (such as maintenance of blood pressure levels) as indicated by clinical signs, symptoms, and measurements. In severe cases, observations should continue for at least several days until clinical condition is stable and normal. Since avermectin is believed to enhance GABA activity in animals, it is probably wise to avoid drug that enhance GABA activity (barbiturates, benzodiazepines, valproic acid) in patients with potentially toxic avermectin

exposure. AVERMECTIN B1: FOR MEDICAL TREATMENT CALL YOUR LOCAL POISON CONTROL CENTER FOR ASSISTANCE. MANUFACTURED BY: ROTAM NORTHAMERICA, INC.

INGREDIENT CODE HHH – Abamectin .15 Select, Active Ingredient: Abamectin, EPA Reg. No. 83100-5–89442 FIRST AID (Avermectin B1): IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately using milk with water and soap for 15-20 minutes. Call a poison control center or doctor for treatment advice. If SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for further treatment advice. NOTE TO PHYSICIAN: Recommendations for Medical Treatment for Abamectin .15 Select (Avermectin b1) Acute Toxicity: Early signs of intoxication include mydriasis (dilated pupils), ataxia (unsteadiness) and muscle tremors. Toxicity following accidental ingestion of the concentrate can be minimized by inducing vomiting within one-half hour of exposure. If toxicity from exposure has progressed to cause severe vomiting, the extent of resultant fluid and electrolyte imbalance should be gauged. Appropriate supportive parenteral fluid replacement therapy should be given, along with other required supportive measures (such as maintenance of blood pressure levels) as indicated by clinical signs, symptoms, and measurements. In severe cases, observations should continue for at least several days until clinical condition is stable and normal. Since avermectin is believed to enhance GABA activity in animals, it is probably wise to avoid drug that enhance GABA activity (barbiturates, benzodiazepines, valproic acid) in patients with potentially toxic avermectin exposure. AVERMECTIN B1: FOR MEDICAL TREATMENT CALL YOUR LOCAL POISON CONTROL CENTER FOR ASSISTANCE. MANUFACTURED BY: PRIMESOURCE, A DIVISION OF ALBAUGH LLC

INGREDIENT CODE III - Altus EPA Reg. No. 101563-186 KEEP OUT OF REACH OF CHILDREN CAUTION ACTIVE INGREDIENT: Flupyradifurone For MEDICAL and TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-424-9300 Manufactured by Environmental Science U.S., LLC FIRST AID If swallowed: • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person. If on skin or clothing: Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment

advice. In case of emergency call toll free the Environmental Science U.S., LLC Emergency Response Telephone No. 1-800-424-9300. Have a product container or label with you when calling a poison control center or doctor or going for treatment. NOTE TO PHYSICIAN: No specific antidote is available. Treat the patient symptomatically. PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION • Harmful if swallowed. • Harmful if absorbed through skin. • Causes moderate eye irritation. • Avoid contact with skin, eyes, and clothing. • Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. ENVIRONMENTAL HAZARDS Terrestrial Use Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment, washwater or rinsate. Non-Target Organisms This pesticide is toxic to aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Toxic to adult bees in laboratory studies via oral exposure, however, not toxic to bees through contact exposure, and field studies conducted with this product have shown no effects on honeybee colony development. Surface Water Label Advisories Flupyradifurone and its degradate difluoroacetic acid may impact surface water quality due to runoff of rainwater. This is especially true for poorly draining soils and soils with shallow ground water. Flupyradifurone and its degradate difluoroacetic acid are classified as having medium and high potential, respectively, for reaching surface water via run-off for several months or more after application. A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential loading of flupyradifurone and its degradate difluoroacetic acid from runoff water and sediment. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours. Ground Water Advisory This chemical has properties and characteristics associated with chemicals detected in ground water. This chemical may leach into ground water if used in areas where soils are permeable, particularly where the water table is shallow.

INGREDIENT CODE TIAB – Abacide 2 Systemic Miticide/Insecticide. ACTIVE INGREDIENT: Abamectin. EPA Reg No. 7946-27. CAUTION: Keep Out Of Reach of Children. PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals. WARNING: May be fatal if swallowed. Causes substantial but temporary eye injury. Do not get in eyes. Harmful if absorbed through the skin or inhaled. Avoid contact with skin or clothing. Avoid breathing vapors. FIRST AID: IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. IF INHALED: Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferable mouth-to-mouth, if possible. Call a poison control center or a doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact INFOTRAC 1-800-535-5053 for emergency treatment information. NOTE TO PHYSICIAN: Early signs of intoxication include dilation of pupils, muscular incoordination, and muscular tremors. Toxicity following accidental ingestion of Abacide 2 can be minimized by early administration of chemical absorbents (e.g. activated charcoal). If toxicity from

exposure has progressed to cause severe vomiting, the extent of resultant fluid and electrolyte imbalance should be gauged. Appropriate supportive parental fluid replacement therapy should be given, along with other required supportive measures (such as maintenance of blood pressure levels and proper respiratory functionality) as indicated by clinical signs, symptoms, and measurements. In severe cases, observations should continue for at least several days until clinical condition is stable and normal. Since abamectin is believed to enhance GABA activity in animals, it is probably wise to avoid drugs that enhance GABA activity (barbiturates, benzodiazepines, valproic acid) in patients with potentially toxic abamectin exposure. ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops. Manufactured by J.J.Mauget CO.

INGREDIENT CODE TIAL – Abasol Systemic Insecticide/Fungicide. ACTIVE INGREDIENT: Debacarb, Carbendazim and Abamectin. EPA Reg No. 7946-20. CAUTION: Keep Out Of Reach of Children. PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals. WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses). Remove contaminated clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. FIRST AID: IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. IF INHALED: Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferable mouth-to-mouth, if possible. Call a poison control center or a doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-535-5053 for emergency treatment information. NOTE TO PHYSICIAN: Early signs of intoxication include dilation of pupils, muscular incoordination, and muscular tremors. Toxicity following accidental ingestion of Abacide 2 can be minimized by early administration of chemical absorbents (e.g. activated charcoal). If toxicity from exposure has progressed to cause severe vomiting, the extent of resultant fluid and electrolyte imbalance should be gauged. Appropriate supportive parental fluid replacement therapy should be given, along with other required supportive measures (such as maintenance of blood pressure levels and proper respiratory functionality) as indicated by clinical signs, symptoms, and measurements. In severe cases, observations should continue for at least several days until clinical condition is stable and normal. Since abamectin is believed to enhance GABA activity in animals, it is probably wise to avoid drugs that enhance GABA activity (barbiturates, benzodiazepines, valproic acid) in patients with potentially toxic abamectin exposure. ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Manufactured by J.J.Mauget CO.

INGREDIENT CODE TIAF – ArborFos Systemic Fungicide. ACTIVE INGREDIENT: Mono and di-potassium salts of Phosphorous Acid. EPA Reg No. 7946-26. CAUTION: Keep Out Of Reach of Children. PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals. WARNING: Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing vapors or spray mist. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. FIRST AID: IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. IF INHALED: Move person to fresh air. If person is not breathing call 911 or an

ambulance, then give artificial respiration, preferable mouth-to-mouth, if possible. Call a poison control center or a doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-535-5053 for emergency treatment information. ENVIRONMENTAL HAZARDS: For terrestrial uses. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Manufactured by J.J. Mauget CO.

INGREDIENT CODE TID: Dinocide. ACTIVE INGREDIENT: Dinotefuran. EPA Reg No: 7946-35. KEEP OUT OF REACH OF CHILDREN, CAUTION. FIRST AID: IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS. CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation, Avoid contact with skin, eyes or clothing. ENVIRONMENTAL HAZARDS: This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, or to area where the surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in water adjacent to treated areas. Do not dispose equipment wash waters. This product is toxic to honeybees. Do not apply this product to blooming, pollen-shedding, or nectar-producing parts of plants if bees may forage on the plants during this time period, unless the application is made in response to a public health emergency declared by appropriate state or federal authorities. Manufactured by J.J. Mauget Co.

INGREDIENT CODE TIF – Fungisol Systemic Fungicide. ACTIVE INGREDIENT: Debacarb and Carbendazim. EPA Reg No. 7646-14. CAUTION: Keep Out Of Reach of Children. PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals. WARNING: Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Causes eye irritation. Avoid breathing vapors. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. FIRST AID: IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. IF INHALED: Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferable mouth-to-mouth, if possible. Call a poison control center or a doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-535-5053 for emergency treatment information. NOTE TO PHYSICIAN: There is no specific antidote available. Treat patient symptomatically. ENVIRONMENTAL HAZARDS: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Manufactured by J.J. Mauget CO.

INGREDIENT CODE TIIM – Imicide Systemic Fungicide. ACTIVE INGREDIENT: Imidacloprid. EPA Reg No. 7646-16. CAUTION: Keep Out Of Reach of Children. PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals. WARNING: Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Causes eye irritation. Avoid breathing vapors. Remove contaminated clothing and wash before reuse. FIRST AID: IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. IF INHALED: Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferable mouth-to-mouth, if possible. Call a poison control center or a doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-535-5053 for emergency treatment information. NOTE TO PHYSICIAN: There is no specific antidote available. Treat patient symptomatically. ENVIRONMENTAL HAZARDS: This pesticide is highly toxic to aquatic invertebrates. Do not apply directly to water, or to areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Manufactured by J.J.Mauget CO.

INGREDIENT CODE TIMS – Imisol Systemic Insecticide/Fungicide. ACTIVE INGREDIENT: Debacarb, Carbendazim and Imidacloprid. EPA Reg No. 7946-21. CAUTION: Keep Out Of Reach of Children. PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals. WARNING: Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Causes eye irritation. Applicator must wear chemical resistant gloves made of any waterproof material and face shield when applying this product. Wash thoroughly with soap and water after handling. Avoid breathing vapors. Remove contaminated clothing and wash before reuse. FIRST AID: IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. IF INHALED: Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferable mouth-to-mouth, if possible. Call a poison control center or a doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-535-5053 for emergency treatment information. NOTE TO PHYSICIAN: There is no specific antidote available. Treat patient symptomatically. ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Manufactured by J.J.Mauget CO.

INGREDIENT CODE TIMY – Mycoject Ultra Systemic Antibiotic. ACTIVE INGREDIENT: Oxytetracycline Hydrochloride. EPA Reg No. 7946-32. CAUTION: Keep Out Of Reach of Children. PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals. WARNING: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Wear goggles, face shield or safety glasses. Long sleeved shirt, long pants, socks, shoes and chemical-resistant gloves. FIRST AID: IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-

20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. IF INHALED: Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferable mouth-to-mouth, if possible. Call a poison control center or a doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-535-5053 for emergency treatment information. NOTE TO PHYSICIAN: There is no specific antidote available. Treat patient symptomatically. ENVIRONMENTAL HAZARDS: Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Manufactured by J.J. Mauget CO.

INGREDIENT CODE TIT – Tebuject 16 Systemic Fungicide. ACTIVE INGREDIENT: Tebuconazole. EPA Reg. No. 7946-28. CAUTION: Keep Out Of Reach of Children. PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals. WARNING: Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Causes moderate eye irritation. Wear protective eyewear such as goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash before reuse. FIRST AID: IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. IF INHALED: Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferable mouth-to-mouth, if possible. Call a poison control center or a doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-535-5053 for emergency treatment information. NOTE TO PHYSICIAN: There is no specific antidote available. Treat patient symptomatically. ENVIRONMENTAL HAZARDS: Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Manufactured by J.J. Mauget CO.



## Consumer Information Regarding Tree, Shrub and Lawn Care Pesticide Applications

The use of pesticides is regulated by the Maryland Department of Agriculture. All commercial pesticide businesses and public agencies that apply pesticides must satisfy certain requirements of the Regulations pertaining to the Pesticide Applicators Law. Some of those requirements are discussed below.

This consumer information sheet answers commonly asked questions about applications of pesticides for tree, shrub and lawn pest control.

### 1. WHAT ARE PESTICIDES?

A pesticide is any substance used to control pests. The pests may include insects (controlled by insecticides), weeds (controlled by herbicides), and fungi (controlled by fungicides).

### 2. IS A LICENSE REQUIRED TO APPLY PESTICIDES?

Yes. Each firm that applies any pesticide for hire is required to obtain a pesticide business license from the Maryland Department of Agriculture. A license is obtained by completing an application, paying a fee, submitting proof of liability insurance and employing at least one certified pesticide applicator who has demonstrated competence in the use of pesticides.

### 3. CAN I BE NOTIFIED BY THE FIRM PRIOR TO A PESTICIDE APPLICATION TO MY PROPERTY?

Yes. Upon the customer's request, the pest control firm is required to give the customer advance notice of a pesticide application. In addition, individuals who have registered with the Maryland Department of Agriculture as a pesticide sensitive individual, or a person who submits a physician's certificate indicating that he or she should not be exposed to a pesticide because of a current diagnosed condition or ailment, may receive advance notice of tree and lawn pesticide applications to neighboring properties.

### 4. MUST A SIGN BE POSTED ON MY PROPERTY?

Yes. After a pesticide has been applied to a lawn or to exterior landscape plants, the pest control firm must post a standardized sign at one or more specific locations on the property. The customer is requested to keep the sign in place for 48 hours after the application. Signs are not required for fertilizer applications.

### 5. WHAT INFORMATION ABOUT THE PESTICIDES APPLIED SHOULD I RECEIVE FROM THE PEST CONTROL FIRM?

When a pesticide is applied, or at the time a customer enters into a contract with a licensed firm for pest control, the customer must receive the following written information: 1) Name of licensee; 2) Maryland pesticide business license number; 3) Licensee telephone number; 4) Maryland Poison Center telephone number; 5) Common name or active ingredient of pesticide.

product applied; and 6) One of the following - a copy of the pesticide label; a copy of a portion of the pesticide label containing precautionary statements and environmental hazards; or a document compiled by the licensee that contains appropriate health, safety, and environmental hazard information taken from the pesticide label and approved by this Department.

#### **6. ARE PESTICIDE APPLICATIONS SAFE?**

Pesticides, to be effective, are toxic to plants or animals and vary in range of toxicity to humans. The degree of hazard to humans or pets can be reduced if pesticides are applied according to label directions and if the appropriate precautions are followed by the applicator and the customer.

#### **7. HOW CAN I MINIMIZE EXPOSURE TO PESTICIDE APPLICATIONS?**

Remove all toys, pet items and lawn furniture from the area to be treated. Close windows. Keep adults, children and pets away from treated areas. Do not stand downwind during or immediately after application of the pesticide. The customer should read the information discussed in question 5 and follow the precautionary statements or health and safety information provided about the pesticide applied to the property.

#### **8. WHAT IF I HAVE A QUESTION OR A PROBLEM?**

The Maryland Department of Agriculture, Pesticide Regulation Section, regulates the use of pesticides in Maryland. Pesticides must be applied according to label directions by licensed pesticide firms and under the supervision of certified pesticide applicators. If you suspect that your applicator is unlicensed, or that a pesticide misuse has occurred, contact the Pesticide Regulation Section to request an investigation. Call or write the Maryland Department of Agriculture, Pesticide Regulation Section, 50 Harry S Truman Parkway, Annapolis, Maryland 21401, 410-841-5710.

#### If you have any questions concerning a pesticide or its application, you can contact:

- Your lawn or landscape plant pest control firm
- The National Pesticide Information Center (NPIC): 1-800-858-7378
- National Poison Control: 1-800-222-1222
- Maryland Department of Agriculture, Pesticide Regulation Section: 410-841-5710
- University of Maryland Home and Garden Information Center: 1-800-342-2507
- University of Maryland, Cooperative Extension Service - county office

#### If you have a contract problem with the firm, contact:

- Your lawn or landscape plant pest control firm
- The Better Business Bureau: 1-410-347-3990
- The Office of the Attorney General, Consumer Protection Division: 410-576-6550
- Your county consumer affairs office